



Using Avaya Business Advocate

Release 10.2.x
Issue 1
December 2023

Notices

© 2026 Avaya LLC. All Rights Reserved.

You may, at your own risk, assemble a MyDocs collection solely for your own internal business purposes, which constitutes a modification to the original published version of the publications. Avaya shall not be responsible for any modifications, additions, or deletions to the original published version of publications. You agree to defend, indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, your modifications, additions or deletions to the publications.

A single topic or a collection of topics may come from multiple Avaya publications. All of the content in your collection is subject to the legal notices and disclaimers in the publications from which you assembled the collection. For information on licenses and license types, trademarks, and regulatory statements, see the original publications from which you copied the topics in your collection.

Except where expressly stated by Avaya otherwise, no use should be made of materials provided by Avaya on this site. All content on this site and the publications provided by Avaya including the selection, arrangement and design of the content is owned by Avaya and/or its licensors and is protected by copyright and other intellectual property laws including the sui generis rights relating to the protection of databases. Avaya owns all right, title and interest to any modifications, additions or deletions to the content in the Avaya publications.

Notice

While reasonable efforts have been made to ensure that the information in this document is complete and accurate at the time of printing, Avaya assumes no liability for any errors. Avaya reserves the right to make changes and corrections to the information in this document without the obligation to notify any person or organization of such changes.

Documentation disclaimer

"Documentation" means information published in varying media which may include product information, subscription or service descriptions, operating instructions and performance specifications that are generally made available to users of products. Documentation does not include marketing materials. Avaya shall not be responsible for any modifications, additions, or deletions to the original published version of Documentation unless such modifications, additions, or deletions were performed by or on the express behalf of Avaya. End user agrees to indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, subsequent modifications, additions or deletions to this documentation, to the extent made by End user.

Link disclaimer

Avaya is not responsible for the contents or reliability of any linked websites referenced within this site or Documentation provided by Avaya. Avaya is not responsible for the accuracy of any information, statement or content provided on these sites and does not necessarily endorse the products, services, or information described or offered within them. Avaya does not guarantee that these links will work all the time and has no control over the availability of the linked pages.

Warranty

Avaya provides a limited warranty on Avaya hardware and software. Please refer to your agreement with Avaya to establish the terms of the limited warranty. In addition, Avaya's standard warranty language as well as information regarding support for this product while under warranty is available to Avaya customers and other parties through the Avaya Support website: <https://support.avaya.com/helpcenter/getGenericDetails?detailId=C20091120112456651010> under the link "Warranty & Product Lifecycle" or such successor site as designated by Avaya. Please note that if the product(s) was purchased from an authorized Avaya channel partner outside of the United States and Canada, the warranty is provided by said Avaya Channel Partner and not by Avaya.

"Hosted Service" means an Avaya hosted service subscription that You acquire from either Avaya or an authorized Avaya Channel Partner (as applicable) and which is described further in Hosted SAS or other service description documentation regarding the applicable hosted service. If You purchase a Hosted Service subscription, the foregoing limited warranty may not apply but You may be entitled to support services in connection with the Hosted Service as described further in your service description documents for the applicable Hosted Service. Contact Avaya or Avaya Channel Partner (as applicable) for more information.

Hosted Service

THE FOLLOWING APPLIES ONLY IF YOU PURCHASE AN AVAYA HOSTED SERVICE SUBSCRIPTION FROM AVAYA OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE). THE TERMS OF USE FOR HOSTED SERVICES ARE AVAILABLE ON THE AVAYA WEBSITE, [HTTPS://SUPPORT.AVAYA.COM/LICENSEINFO](https://support.avaya.com/licenseinfo) UNDER THE LINK "Avaya Terms of Use for Hosted Services" OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, AND ARE APPLICABLE TO ANYONE WHO ACCESSES OR USES THE HOSTED SERVICE. BY ACCESSING OR USING THE HOSTED SERVICE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE DOING SO (HEREINAFTER REFERRED TO INTERCHANGEABLY AS "YOU" AND "END USER"), AGREE TO THE TERMS OF USE. IF YOU ARE ACCEPTING THE TERMS OF USE ON BEHALF A COMPANY OR OTHER LEGAL ENTITY, YOU REPRESENT THAT YOU HAVE THE AUTHORITY TO BIND SUCH ENTITY TO THESE

TERMS OF USE. IF YOU DO NOT HAVE SUCH AUTHORITY, OR IF YOU DO NOT WISH TO ACCEPT THESE TERMS OF USE, YOU MUST NOT ACCESS OR USE THE HOSTED SERVICE OR AUTHORIZE ANYONE TO ACCESS OR USE THE HOSTED SERVICE.

Licenses

The Global Software License Terms ("Software License Terms") are available on the following website <https://www.avaya.com/en/legal-license-terms/> or any successor site as designated by Avaya. These Software License Terms are applicable to anyone who installs, downloads, and/or uses Software and/or Documentation. By installing, downloading or using the Software, or authorizing others to do so, the end user agrees that the Software License Terms create a binding contract between them and Avaya. In case the end user is accepting these Software License Terms on behalf of a company or other legal entity, the end user represents that it has the authority to bind such entity to these Software License Terms.

Copyright

Except where expressly stated otherwise, no use should be made of materials on this site, the Documentation, Software, Hosted Service, or hardware provided by Avaya. All content on this site, the documentation, Hosted Service, and the product provided by Avaya including the selection, arrangement and design of the content is owned either by Avaya or its licensors and is protected by copyright and other intellectual property laws including the sui generis rights relating to the protection of databases. You may not modify, copy, reproduce, republish, upload, post, transmit or distribute in any way any content, in whole or in part, including any code and software unless expressly authorized by Avaya. Unauthorized reproduction, transmission, dissemination, storage, or use without the express written consent of Avaya can be a criminal, as well as a civil offense under the applicable law.

Virtualization

The following applies if the product is deployed on a virtual machine. Each product has its own ordering code and license types. Unless otherwise stated, each Instance of a product must be separately licensed and ordered. For example, if the end user customer or Avaya Channel Partner would like to install two Instances of the same type of products, then two products of that type must be ordered.

Third Party Components

The following applies only if the H.264 (AVC) codec is distributed with the product. THIS PRODUCT IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO (i) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (ii) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://www.mpegla.com).

Service Provider

WITH RESPECT TO CODECS, IF THE AVAYA CHANNEL PARTNER IS HOSTING ANY PRODUCTS THAT USE OR EMBED THE H.264 CODEC OR H.265 CODEC, THE AVAYA CHANNEL PARTNER ACKNOWLEDGES AND AGREES THE AVAYA CHANNEL PARTNER IS RESPONSIBLE FOR ANY AND ALL RELATED FEES AND/OR ROYALTIES. THE H.264 (AVC) CODEC IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO: (i) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (ii) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION FOR H.264 (AVC) AND H.265 (HEVC) CODECS MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://www.mpegla.com).

Compliance with Laws

You acknowledge and agree that it is Your responsibility to comply with any applicable laws and regulations, including, but not limited to laws and regulations related to call recording, data privacy, intellectual property, trade secret, fraud, and music performance rights, in the country or territory where the Avaya product is used.

Preventing Toll Fraud

"Toll Fraud" is the unauthorized use of your telecommunications system by an unauthorized party (for example, a person who is not a corporate employee, agent, subcontractor, or is not working on your company's behalf). Be aware that there can be a risk of Toll Fraud associated with your system and that, if Toll Fraud occurs, it can result in substantial additional charges for your telecommunications services.

Avaya Toll Fraud intervention

If You suspect that You are being victimized by Toll Fraud and You need technical assistance or support, please contact your Avaya Sales Representative.

Security Vulnerabilities

Information about Avaya's security support policies can be found in the Security Policies and Support section of <https://support.avaya.com/security>.

Suspected Avaya product security vulnerabilities are handled per the Avaya Product Security Support Flow (<https://support.avaya.com/css/P8/documents/100161515>).

Downloading Documentation

For the most current versions of Documentation, see the Avaya Support website: <https://support.avaya.com>, or such successor site as designated by Avaya.

Contact Avaya Support

See the Avaya Support website: <https://support.avaya.com> for Product or Cloud Service notices and articles, or to report a problem with your Avaya Product or Cloud Service. For a list of support telephone numbers and contact addresses, go to the Avaya Support website: <https://support.avaya.com> (or such successor site as designated by Avaya), scroll to the bottom of the page, and select Contact Avaya Support.

Trademarks

The trademarks, logos and service marks ("Marks") displayed in this site, the Documentation, Hosted Service(s), and product(s) provided by Avaya are the registered or unregistered Marks of Avaya, its affiliates, its licensors, its suppliers, or other third parties. Users are not permitted to use such Marks without prior written consent from Avaya or such third party which may own the Mark. Nothing contained in this site, the Documentation, Hosted Service(s) and product(s) should be construed as granting, by implication, estoppel, or otherwise, any license or right in and to the Marks without the express written permission of Avaya or the applicable third party.

Avaya is a registered trademark of Avaya LLC.

All non-Avaya trademarks are the property of their respective owners.

Avaya, the Avaya logo, Avaya one-X® Portal, Communication Manager, Application Enablement Services, Modular Messaging, and Conferencing are either registered trademarks or trademarks of Avaya Inc. in the United States of America and/or other jurisdictions.

All non-Avaya trademarks are the property of their respective owners.

Contents

Chapter 1: Introduction	6
Purpose	6
Chapter 2: Business Advocate overview	7
Feature combinations to meet business objectives	8
Selection methods	9
Agent selection methods	9
Agent selection examples	10
Call selection methods	12
Call selection measurement	16
Call selection examples	16
Automated agent staffing	18
Auto Reserve Agents	19
Dynamic Percentage Adjustment	19
Service Level Supervisor	19
Selection methods and feature compatibility	21
Agent licensing	23
Chapter 3: Business Advocate examples	24
Example of balancing agent workload	24
Screen reference for balancing agent workload	25
Reports for reviewing agent workload	26
Example of increasing call handling efficiency	27
Screen reference for increasing call handling efficiency	29
Reports for reviewing call handling efficiency	30
Example of maintaining service levels	30
Screen reference for maintaining service levels	32
Reports for reviewing service levels	33
Example of managing unexpected call volume	34
Screen reference for managing call volume	36
Reports for reviewing call volume	37
Example of segmenting the customer base	38
Screen reference for segmenting the customer base	39
Reports for reviewing the effects of segmenting the customer base	40
Chapter 4: Administering Business Advocate	41
Administering Business Advocate through Communication Manager	42
Adding Business Advocate licenses to the total ACD agent count	42
Business Advocate screen reference	42
Administering Call Selection Measurement	48
Administering Greatest Need	48
Administering Service Level Supervisor	49

Administering Skill Level.....	50
Using Percent Allocation.....	51
Using Service Objective.....	53
Administering Business Advocate through CMS Supervisor.....	55
Administering the existing agent login IDs.....	55
Change Agent Skills window.....	56
Multi-Agent Skill Change window.....	59
Administering service level.....	61
Database items and calculations.....	62
Chapter 5: Feature interactions.....	70
BCMS and VuStats interactions.....	70
Direct Agent Calls interactions.....	70
Location Preference Distribution interactions.....	71
Percent Allocation interactions.....	71
Service Level Supervisor interactions.....	72
Service Objective interactions.....	73
Work time and occupancy interactions.....	74
Chapter 6: Resources.....	75
Documentation.....	75
Finding documents on the Avaya Support website.....	76
Accessing the port matrix document.....	76
Avaya Documentation Center navigation.....	77
Training.....	78
Viewing Avaya Mentor videos.....	78
Support.....	79
Using the Avaya InSite Knowledge Base.....	79
Glossary.....	81

Chapter 1: Introduction

Purpose

This document describes how to use Avaya Aura® Call Center Elite Business Advocate features for call selection and agent selection.

This document is intended for people who want to learn how to use Business Advocate features, including contact center managers, system administrators, and supervisors.

Chapter 2: Business Advocate overview

Business Advocate is an Avaya Aura® Call Center Elite feature that uses a patented routing algorithm to:

- Manage agents and call volumes.
- Meet service levels.
- Predict call wait time.
- Reduce agent burnout.

Business Advocate automates the activation of reserve agents to prevent overflow of calls in a queue.

Dynamic Advocate, which is a Business Advocate feature, automatically adjusts the overload threshold based on the service level requirements.

Business Advocate leverages the following features to balance business needs such as service levels, caller segmentation, and multiskilled agent management:

- Percent Allocation for call selection and Percent Allocation Distribution (PAD) for agent selection
- Predicted Wait Time (PWT), which is applicable during call surplus conditions, as a systemwide call selection measurement
- Service Level Supervisor (SLS) with Call Selection Override and Reserve Agent
- Service Objective (SO) by Skill or Vector Directory Number (VDN)

 Note:

Do not administer Business Advocate and Service Level Maximizer (SLM) on the same system as these two features are mutually exclusive.

Feature combinations to meet business objectives

Business objective	Feature combination
Automate agent staffing.	• Dynamic Threshold Adjustment • Greatest Need or Skill Level • Service Level Supervisor (SLS) • Expert Agent Distribution-Least Occupied Agent (EAD-LOA) or Uniform Call Distribution-Least Occupied Agent (UCD-LOA)
Balance workload and service levels.	• Greatest Need • Service Objective (SO) • UCD-LOA
Control agent work time in each skill.	• Call Selection Override • Dynamic Percentage Adjustment • Percent Allocation • Percent Allocation Distribution (PAD) • SLS
Deliver calls to top agents.	• Skill Level • EAD-LOA
Differentiate customer service without increasing skills.	• Dynamic Queue Position (DQP) • Greatest Need or Skill Level • EAD-LOA or UCD-LOA
Increase revenue opportunities.	• Greatest Need • SO • SLS • UCD-LOA
Maintain service levels without increasing agent time in one skill.	• Dynamic Percentage Adjustment • Percent Allocation • PAD
Meet agent staffing needs.	• Dynamic Threshold Adjustment • Greatest Need • SLS • UCD-LOA

Table continues...

Business objective	Feature combination
Meet the needs of critical skills.	• Activate on Oldest Call Waiting (OCW) • Call Selection Override • Greatest Need • SLS • UCD-LOA

Selection methods

Agent selection methods

Use agent selection methods in an agent surplus condition, that is, when more than one agent is available to receive a call.

With Business Advocate, you can select agents based on the following:

- Agent occupancy
- Idle time
- Percentage of time in each skill
- Skill level for each agent

When calculating the agent occupancy, Avaya Aura® Communication Manager adds the time that elapsed during each of the following activities:

- ACD calls ringing at a station
- ACD calls that an agent receives
- ACD calls on hold
- After Call Work (ACW) if you select **n** in the **ACW Considered Idle** field

When calculating idle time, Communication Manager adds the time that elapsed during each of the following activities:

- Available (Auto-in or Manual-in) since the last ACD call
- After Call Work (ACW) if you select **y** in the **ACW Considered Idle** field
- Aux Work if you select **y** in the **AUX Agent Considered Idle (MIA)** field

The following table describes how Communication Manager routes calls based on the agent selection method that you administer on the Hunt Group screen.

Agent selection method	Call routing decision
Expert Agent Distribution-Least Occupied Agent (EAD-LOA)	The least occupied agent across skills with the highest skill level for the call. Communication Manager checks the skill level before agent occupancy.
Expert Agent Distribution-Most Idle Agent (EAD-MIA)	The most idle agent with the highest skill level for the call. Communication Manager checks the skill level before idle time.
Percent Allocation Distribution (PAD)	The agent with the lowest ratio of adjusted work time to target allocation for the skill. Communication Manager selects agents with a higher target allocation based on the premise that agents with a higher target allocation are top agents for the skill. For example, Communication Manager selects an agent with a target allocation of 80% over another agent with only 30% allocation for the skill.  Note: Use PAD as the agent selection method if you use Percent Allocation as the call selection method.
Uniform Call Distribution-Least Occupied Agent (UCD-LOA)	The least occupied agent across skills regardless of the skill level.
Uniform Call Distribution-Most Idle Agent (UCD-MIA)	The most idle agent in a skill regardless of the skill level.

For more information, see *Avaya Aura® Call Center Elite Feature Reference*.

Agent selection examples

Example of agent selection using EAD-LOA

Use Expert Agent Distribution-Least Occupied Agent (EAD-LOA) to deliver calls to the agent with the lowest occupancy and the highest skill level.

The following table describes how Communication Manager selects agents when the agent selection method is EAD-LOA.

Agent	Skill level	Occupancy in percentage
A	1	90
B	1	95
C	2	78

Agents A and B have the highest, that is, the primary skill level for the call. Therefore, Agent C does not receive the call.

Agent A receives the call in place of Agent B because Agent A has the lowest occupancy, that is, 90%.

Example of agent selection using EAD-MIA

Use Expert Agent Distribution-Most Idle Agent (EAD-MIA) to deliver calls to the most idle agent with the highest skill level.

The following table describes how Communication Manager selects agents when the agent selection method is EAD-MIA.

Agent	Skill level	Time in seconds since the last Sales call
A	1	5
B	1	10
C	2	30

Agents A and B have the highest, that is, the primary skill level for the call. Therefore, Agent C does not receive the call.

Agent B receives the call in place of Agent A because Agent B has the longest idle time, that is, 10 seconds since agent B received a call to the Sales skill.

Example of agent selection using PAD

Use Percent Allocation Distribution (PAD) to deliver calls to agents based on the percentage of time that you allocate for agents in each skill.

* Note:

Use PAD as the agent selection method if you use Percent Allocation as the call selection method.

The following table describes how Communication Manager selects agents when the agent selection method is PAD.

Agent	Target allocation in percentage	Current work time in percentage	Adjusted work time in percentage	Ratio of adjusted time to target
A	25	30	35	1.4
B	50	45	49	0.98
C	75	76	78	1.04

Communication Manager selects the agent with the lowest ratio of adjusted work time to target allocation for a skill. Therefore, Agent B receives the call.

Example of agent selection using UCD-LOA

Use Uniform Call Distribution-Least Occupied Agent (UCD-LOA) to deliver calls to the agent with the lowest occupancy across all skill levels.

The following table describes how Communication Manager selects calls when the agent selection method is UCD-LOA.

Agent	Skill level	Occupancy in percentage
A	1	90
B	1	95
C	2	68

Communication Manager selects the agent with the lowest occupancy. Therefore, Agent C receives the call.

Example of agent selection using UCD-MIA

Use Uniform Call Distribution-Most Idle Agent (UCD-MIA) to deliver calls to the agent with the longest idle time regardless of the skill level.

The following table describes how Communication Manager selects calls when the agent selection method is UCD-MIA.

Agent	Skill level	Time in seconds since the last Sales call
A	1	5
B	1	10
C	2	30

Communication Manager selects the agent with the longest idle time. Therefore, Agent C receives the call.

Call selection methods

Use call selection methods in a call surplus condition, that is, when more than one call is in a queue and agents are unavailable to receive calls.

To select calls, Communication Manager uses the following information:

- Call selection method that you administer on the Agent LoginID screen
- Call selection measurement, that is, Current Wait Time (CWT) or Predicted Wait Time (PWT)
- Call Selection Override
- Queue priority for a call in the queue
- Skill levels or reserve levels that you assign to agents
- Threshold levels of a skill
- Use of Service Objective (SO) by Skill or Vector Directory Number (VDN)

The following table describes how Communication Manager selects calls.

Call selection method	Call selection decision
Greatest Need without SO	Calls with the longest CWT or PWT.
Greatest Need with SO	Calls with the highest ratio of CWT to SO or PWT to SO.
Percent Allocation	Call that is waiting for the longest time and that best meets the target allocations for a skill.
Skill Level without SO	Call for the highest skill level and with the longest CWT or PWT.
Skill Level with SO	Call for the highest skill level and with the highest ratio of CWT to SO or PWT to SO.

Call handling preference

Use call handling preference to determine how Communication Manager selects calls when more than one call is in a queue and agents are unavailable to receive calls.

Greatest Need

Use Greatest Need to deliver the oldest and highest priority calls to agents. This method reduces Average Speed of Answer (ASA) and the maximum delay for calls.

Percent Allocation

Use Percent Allocation to deliver calls based on the percentage of agent work time in a skill. For example, you can allocate 70% of the agent work time to the Sales skill if the agent excels at closing deals.

With Percent Allocation, you can use the following related features to balance agent workload and the service levels:

- Auto Reserve Agents: To leave agents idle when the current work time meets the target allocation for a skill.
- Dynamic Percentage Adjustment: To automatically adjust the target allocation.

* Note:

Use Percent Allocation with Percent Allocation Distribution (PAD) to control the selection of calls and agents during call surplus and agent surplus conditions.

Skill Level

Use Skill Level to deliver calls to the primary skill that you assign to an agent.

With Skill Level, Communication Manager delivers calls to agents in the following order of preference:

1. Primary skill of the agent
2. Priority of the call
3. Current Wait Time (CWT) or Predicted Wait Time (PWT) for calls in the queue

You can administer up to 16 skill levels for an agent. Level 1 is the highest level and also the primary skill of an agent.

Direct Agent Calls

Use Direct Agent Calls to ensure that the same agent is available for a follow-up call. You can administer the system so that Direct Agent Calls override call handling preferences and the system sends Direct Agent Calls before other ACD calls. Direct Agent Calls also have preference over calls for skills that exceed the threshold levels.

The following table indicates how Direct Agent Calls interact with other call handling preferences.

Call handling preference	Interaction
Greatest Need	Direct Agent Calls override Greatest Need.
Percent Allocation	Direct Agent Calls override Percent Allocation if you: • Administer the Direct Agent Calls First field on the Agent LoginID screen of Communication Manager. • Select the check box on the Change Agent Skills screen of CMS Supervisor.
Skill Level	Direct Agent Calls override Skill Level if you assign the direct agent skill as the primary skill of an agent.

Service Objective

With Service Objective (SO), you can assign different levels of service to different skills. For example, you can assign 20 seconds for a premium customer skill and 25 seconds for a silver customer skill. A shorter SO time indicates that a call for the skill is important to the organization.

When you administer SO at the agent level and the skill level, Communication Manager selects calls based on the ratio of Current Wait Time (CWT) or Predicted Wait Time (PWT) to the administered SO for the skill.

If you select **Greatest Need** or **Skill Level** as the call selection method, use SO and not Percent Allocation as SO ensures that Communication Manager selects calls to critical skills. Percent Allocation ensures uniform distribution of agent work time in each skill.

When you administer SO at the Vector Directory Number (VDN) level, Communication Manager assigns priorities to calls in a queue. The priority is based on the number of seconds within which agents must receive calls from the VDNs with SO.

Note:

Use SO by VDN to place calls from multiple VDNs to a single skill queue.

Dynamic Queue Position

Use Dynamic Queue Position (DQP) to queue calls to a single skill while offering different levels of service to different customer segments.

For example, you can administer a VDN for each customer segment with a Service Objective (SO) of less than 10 seconds for critical segments. When calls arrive at VDNs, Communication

Manager checks the SO for each VDN and places calls in a single skill queue. Communication Manager places calls from critical segments ahead of calls from other VDNs.

The following image describes how Communication Manager assigns priorities to calls in a queue.




Figure 1: Determining call position in a queue

Calls arrive from three VDNs, each with a different SO. VDN A has an SO of 20 seconds, VDN B has an SO of 40 seconds, and VDN C has an SO of 70 seconds.

With DQP, Communication Manager assigns priorities to calls in the queue based on the SO that you administer for each VDN and places the call with the lowest SO ahead of most calls in the queue.

Communication Manager selects a position for the call in the queue to match Average Speed of Answer (ASA) and the SO of the VDN.

Related links

[DQP effects on call selection](#) on page 54

Call selection measurement

Communication Manager uses a call selection measurement to calculate the wait time for calls in a queue.

The call selection measurement that you administer on the Feature-Related System Parameters screen is applicable to all skills.

Current Wait Time

Current Wait Time (CWT) or Oldest Call Waiting (OCW) is the time that a call is in the queue.

If you use CWT, Communication Manager delivers the oldest call to an available agent regardless of the agent skill.

Predicted Wait Time

Predicted Wait Time (PWT) is the time that a call will wait in the queue if an available agent does not receive the call.

The following table describes call selection with PWT.

Call	Time in seconds spent in the queue	PWT in seconds
A	10	35
B	20	5

As indicated in the table, PWT is 5 seconds for call B and 35 seconds for call A. As the total wait time for call B is 25 seconds, which is less than the total wait time for call A, Communication Manager selects call A before call B.

Call selection examples

Example of call selection using Greatest Need

Use Greatest Need to deliver the oldest and highest priority calls to agents.

Use Service Objective (SO) with Greatest Need to deliver calls based on the ratio of Predicted Wait Time (PWT) to SO.

The following tables describe how Communication Manager selects calls when the call selection method is Greatest Need.

Table 1: Greatest Need without SO

Skill number	PWT in seconds
1	45
2	90
3	50

If all calls have the same priority, Communication Manager selects the call for Skill 2 as the call has the longest wait time, that is, 90 seconds.

Table 2: Greatest Need with SO

Skill number	SO in seconds	PWT in seconds
1	20	45
2	45	90
3	20	50

Communication Manager checks the ratio of PWT to SO for each call and selects the call with the highest ratio.

Communication Manager selects the call for Skill 3 as the call has the highest ratio of PWT to SO.

Example of call selection using Percent Allocation

Use Percent Allocation to deliver calls that meet the target allocations for each agent skill.

The following table describes how Communication Manager selects calls when the call selection method is Percent Allocation.

Table 3: Percent Allocation

Skill number	Target allocation in percentage	Current work time in percentage	Adjusted work time in percentage	PWT in seconds
1	60	45	49	45
2	30	35	40	90
3	10	10	17	50

Communication Manager compares the target allocation and the adjusted work time for each skill that you assign to an agent.

The adjusted work time of the agent in Skills 2 and 3 exceeds the target allocation. As the adjusted work time in Skill 1 is 49%, which is less than the target allocation of 60%, Communication Manager selects the call for Skill 1.

Note:

Communication Manager disregards PWT because the Percent Allocation method determines call selection based on the target allocation for agents in each skill regardless of the wait time.

Example of call selection using Skill Level

Use Skill Level to deliver calls to the highest, that is, the primary skill of an agent.

The following tables describe how Communication Manager selects calls when the call selection method is Skill Level.

Table 4: Skill Level without SO

Skill number	Skill level	PWT in seconds
1	1	45
2	1	90
3	2	50

Communication Manager selects the call for Skill 2 because the call has the longest wait time and requires the primary skill of an agent.

Table 5: Skill Level with SO

Skill number	Skill level	SO in seconds	PWT in seconds
1	1	20	45
2	1	45	90
3	2	20	50

Communication Manager checks the primary skill first. As the call to Skill 3 requires a secondary skill, the agent does not receive calls to Skill 3.

Communication Manager checks the ratio of PWT to SO for each call and selects the call with the highest ratio.

The call to Skill 1 has the highest ratio of PWT to SO. Therefore, the agent receives the call to Skill 1.

Automated agent staffing

With Business Advocate, supervisors can automate staffing to meet the changes in call volumes. As automation reduces the time that supervisors spend in moving agents between skills, supervisors can focus on coaching agents and meeting organization goals.

Business Advocate uses the following features to automatically balance workload and the service levels:

- Auto Reserve Agents: Makes reserve agents unavailable to receive calls to a skill when the current work time exceeds the target allocation for the skill.
- Dynamic Percentage Adjustment: Adjusts the agent work time allocation to meet the target service levels.
- Dynamic Threshold Adjustment: Makes reserve agents available to receive calls to a skill by adjusting the overload thresholds to meet the target service levels.

Auto Reserve Agents

Supervisors can use Auto Reserve Agents to ensure that top agents receive calls that meet organization goals. For example, a supervisor can change the work state of a top sales agent so that the agent receives calls only to the Sales skill.

Use Auto Reserve Agents to make agents unavailable to receive calls to a skill if the current work time exceeds the target allocation for the skill.

When an agent is an auto reserve agent and a call is in the queue, Communication Manager performs one of the following actions:

- Adjusts the agent work time allocation to make the agent available to receive the call.
- Delivers the call to a skill for which the agent is not a reserve agent.
- Makes another agent available to receive the call.

Dynamic Percentage Adjustment

Use Dynamic Percentage Adjustment to maintain service-level targets by adjusting the agent work time in each skill.

When you administer a service-level target for each skill and allocate the agent work time, Communication Manager automatically adjusts the work time allocation to meet the targets.

The following table describes how Communication Manager uses Dynamic Percentage Adjustment to change the work time allocation based on the changes in call volumes.

Work time allocation	Sales skill allocation in percentage	Service skill allocation in percentage
Administered	70	30
Adjusted: Increase in calls to the Sales skill	78	22
Adjusted: Increase in calls to the Service skill	62	38

If call volumes to the Sales skill increase in the morning, Dynamic Percentage Adjustment automatically increases the work time allocation to 78% for calls to the Sales skill. Agents do not lose sales opportunities due to fixed allocations.

Similarly, if call volumes to the Sales skill drop in the afternoon, Dynamic Percentage Adjustment reduces the work time allocation to 62% for calls to the Sales skill and agents receive calls to the Service skill.

Dynamic Percentage Adjustment ensures that service-level targets are unaffected by the changes in the work time allocation.

Service Level Supervisor

Communication Manager uses Service Level Supervisor (SLS) to manage agent movement between skills during emergencies and unexpected increase in call volumes.

SLS uses the following features when a skill exceeds the administered thresholds:

- Call Selection Override
- Dynamic Threshold Adjustment
- Reserve agents

 Note:

You can administer Call Selection Override at the skill level or the system level. However, the feature applies at the skill level only if you administer the feature at the system level.

You can assign reserve agents to each skill and administer two overload thresholds. If a skill exceeds an overload threshold, SLS activates Reserve agents or Call Selection Override.

To determine the overload thresholds for a skill, use Expected Wait Time (EWT) for incoming calls or the time that current calls spend in a queue.

Reserve levels

You can administer two reserve levels to control the activation of reserve agents.

- Reserve level 1 agents receive calls to a skill when the skill exceeds the first or second overload threshold.
- Reserve level 2 agents receive calls to a skill only when the skill exceeds the second overload threshold.

For example, you can assign a top sales agent as a reserve level 2 agent for a Service skill. The agent receives service calls when agents with Service as the primary skill or reserve level 1 skill are unavailable to receive a service call.

If you have two critical skills, for example, Sales and Emergency, assign the top sales agents as reserve level 1 agents for the Emergency skill. You can prevent agent burnout by not assigning the top sales agents as reserve level 2 agents for the Service skill.

Call Selection Override

With Call Selection Override, Communication Manager disregards call selection methods and delivers calls for the skill that exceeds an overload threshold. You can administer a low threshold level for a critical skill so that Communication Manager selects calls to the critical skill before calls to other skills.

For more information about Call Selection Override, see *Administering Service Level Supervisor*.

Use Predicted Wait Time (PWT) or the time in the queue, that is, the Oldest Call Waiting (OCW) time, to determine when a skill exceeds an overload threshold.

The following table describes how Communication Manager selects calls for an agent.

Skill	Skill level	Overload threshold in seconds	PWT in seconds
Sales	1	20 seconds	5 seconds
Collections	1	20 seconds	10 seconds
Service	2	20 seconds	40 seconds

Calls are in the queue for three skills: Collections, Sales, and Service. Agents list Collections and Sales as the primary skills and Service as a secondary skill.

With Call Selection Override, Communication Manager disregards the skill level and selects a call with the longest PWT.

The overload threshold is 20 seconds for all three skills, but as the call for the Service skill has the longest PWT, Communication Manager delivers the call for the Service skill.

If you do not use Call Selection Override, Communication Manager delivers a call for the highest skill level and with the longest PWT. According to the table, Communication Manager delivers the call for the Collections skill.

Related links

[Administering Service Level Supervisor](#) on page 49

Dynamic Threshold Adjustment

Use Dynamic Threshold Adjustment to maintain service-level targets by adjusting the overload thresholds for each skill. Dynamic Threshold Adjustment changes the overload threshold from 0% to 200% of the administered value.

When you administer a service-level target for a skill and assign an overload threshold to the skill, Communication Manager automatically adjusts the threshold to meet the targets. Adjusting the threshold results in activation or deactivation of reserve agents.

Dynamic Threshold Adjustment is most effective when you use only one overload threshold level and administer the level at the service objective for the skill.

Selection methods and feature compatibility

The following table lists the features that work with the call selection methods.

Table 6: Call selection methods in call surplus conditions

Call handling preference	Compatible features
Greatest Need	- Predicted Wait Time (PWT) - Service Objective (SO) - Service Level Supervisor (SLS) - Uniform Call Distribution-Least occupied Agent (UCD-LOA) - Uniform Call Distribution-Most Idle Agent (UCD-MIA)

Table continues...

Call handling preference	Compatible features
Percent Allocation	• Auto Reserve Agents • Dynamic Percentage Adjustment • Percent Allocation Distribution (PAD) • SLS
Skill Level	• Expert Agent Distribution-Least Occupied Agent (EAD-LOA) • Expert Agent Distribution-Most Idle Agent (EAD-MIA) • PWT • SO • SLS

The following table lists the features that work with the agent selection methods.

Table 7: Agent selection method in agent surplus conditions

Group Type on the Hunt Group screen	Compatible features
EAD-LOA and EAD-MIA	• PWT • Skill Level • SO • SLS
PAD	• Auto Reserve Agents • Dynamic Percentage Adjustment • Percent Allocation • SLS
UCD-LOA and UCD-MIA	• Greatest Need • PWT • SO • SLS

 Note:

Use PAD as the agent selection method if you use Percent Allocation as the call selection method.

Agent licensing

Expert Agent Selection (EAS) agents that use Business Advocate have a Right-To-Use (RTU) license. The RTU license is part of the logged-in advocate Remote Feature Activation (RFA) license material code.

The RFA license material code defines the maximum number of concurrently logged-in advocate agents.

Business Advocate agents are part of the total ACD agent count. The system counts a Business Advocate agent as a logged-in ACD agent and a logged-in advocate agent. Therefore, the number of licenses for the maximum logged-in advocate agents must be less than or equal to the number of licenses for the logged-in ACD agents.

**Note:**

Business Advocate agent licensing is required for Call Center Elite releases prior to Release 6.x. Call Center Elite 6.x includes Business Advocate.

Related links

[Adding Business Advocate licenses to the total ACD agent count](#) on page 42

Chapter 3: Business Advocate examples

Example of balancing agent workload

One way to balance agent workload is to adjust the time that an agent spends in each skill. Supervisors can allocate work time so that the top agents do not receive calls to non-critical skills.

This example describes how the following features meet the needs of contact centers:

- Auto Reserve Agents
- Dynamic Percentage Adjustment
- Percent Allocation as a call selection method
- Percent Allocation Distribution (PAD) as an agent selection method

Background

A company that sells fax machines has two skills: Sales and Service. All agents can handle calls to both the skills, but five agents excel at closing sales deals.

The company wants top agents to handle more sales calls. Therefore, the company decides to allocate the work time of top agents.

Service level targets

Agents must answer 85% of all Sales calls within 25 seconds and 80% of all Service calls within 40 seconds.

Call handling target

Agents must complete each call and all activities related to that call within 300 seconds. Therefore, the administrator sets the expected call handling time as 300 seconds.

Skill assignment

For the top sales agents, the administrator allocates 50% of the work time to the Sales skill and 50% to the Service skill.

The administrator assigns the Sales skill as the primary skill of the top agents and the Service skill as the secondary skill.

For other agents, the administrator allocates the work time and assigns both the skills, that is, Sales and Service, as the primary skill.

The following table shows the agent skill assignment.

Agent type	Sales skill at 50% allocation	Service skill at 50% allocation
Top sales agents	Skill level 1	Skill level 2
All other agents	Skill level 1	Skill level 1

The administrator reserves the top sales agents as *secondary-only* for the Service skill. Therefore, Communication Manager places the top sales agents on standby for the secondary skill.

Agent selection

The administrator selects **pad** as the agent selection method. Therefore, during agent surplus conditions, Communication Manager routes a call to the agent with the lowest ratio of adjusted work time to the target allocation for the skill.

As the company encourages agents to complete all call-related activities during the call, Communication Manager adds the time spent in After Call Work (ACW) to the idle time calculations.

Call selection

The administrator selects **percent-allocation** as the call handling preference for agents. Therefore, during call surplus conditions, Communication Manager selects a call that meets the allocation target of the available agent.

The administrator reserves the top sales agents as secondary agents for the Service skill. Therefore, the top sales agents are idle when the current allocation for the Service skill exceeds the administered allocation.

Top sales agents are unavailable for calls to the Service skill but are available to receive calls to the Sales skill.

Automated agent staffing

The administrator uses the Dynamic Percentage Adjustment feature to match the target allocation and the service level for a skill.

For example, if call volumes for a skill are higher than the forecast, Dynamic Percentage Adjustment changes the target allocation to meet the administered service level.

Summary

Percent Allocation and PAD balance the time that an agent spends in each skill during call surplus and agent surplus conditions.

With these features, Communication Manager selects calls or agents after comparing the agent work time and the target allocation for a skill.

The administrator uses Auto Reserve Agents to ensure that the top sales agents are idle for Service calls if the current allocation exceeds the target.

Screen reference for balancing agent workload

The following table includes the screens, fields, and field entries that you can use to administer the features that are described in this example.

Organization need	Screen title	Field title	Field entry
Adjust agent allocation to meet the service level.	Hunt Group	Dynamic Percentage Adjustment	y
Allocate work time.	Agent LoginID and Hunt Group	• Call Handling Preference on the Agent LoginID screen • Group Type on the Hunt Group screen	• percent-allocation for call handling preference • pad for hunt group type
Assign a skill level for each skill.	Agent LoginID	Skill Level (SL)	• For top sales agents, skill level 1 for Sales and skill level 2 for Service • For other agents, skill level 1 for both Sales and Service
Complete call-related activities during the call.	Feature-Related System Parameters	ACW Considered Idle	y
Determine the percentage of work time in each skill.	Agent LoginID	Percent Allocation (PA)	50 for Sales and 50 for Service
Determine the call handling time for calls in each skill.	Hunt Group	Expected Call Handling Time (sec)	300
Determine the service levels for each skill.	Hunt Group	Service Level Target (% in sec)	• For Sales: 85% in 25 seconds • For Service: 80% in 40 seconds
Prevent agent burnout.	Feature-Related System Parameters	Auto Reserve Agents	secondary-only

Reports for reviewing agent workload

Supervisors can generate the following reports to determine whether balancing agent workload benefits the company and the agents.

Report type	Parameters	Purpose
Real-Time or Historical Split/Skill Graphical Status	• Percentage of calls within the service levels • Average Speed of Answer (ASA) • Average call handling time	To determine: • If each skill meets the target levels • The time within which agents answer calls • The average talk time for each skill

Table continues...

Report type	Parameters	Purpose
Split/Skill Graphical Average Position Staffed	Agent staffing	To determine the number of agents logged in to a skill

Example of increasing call handling efficiency

Contact centers can increase revenue by improving the sales opportunity for each call through up-selling or cross-selling. To improve sales opportunities, contact centers classify customers and connect top agents with potential buyers.

This example describes how the following features meet the needs of contact centers:

- Greatest Need as a call selection method
- Predicted Wait Time (PWT)
- Service Level Supervisor (SLS)
- Service Objective (SO)
- Uniform Call Distribution-Least Occupied Agent (UCD-LOA) as an agent selection method

Background

A home furnishings catalog company wants to connect the top sales agents to premium customers and increase the sales opportunity per call.

The company classifies customers into the following skills:

- Premium: Most profitable customers who are likely to buy add-on merchandise.
- Gold: Profitable customers who discourage up-selling or cross-selling.
- Silver: Customers who buy items that are marked for clearance.
- New: First time callers, prospective customers, or callers with queries about a catalog item.

The company wants agents to focus on the Premium skill and the Gold skill categories without losing customers in the Silver skill and the New skill categories.

Skill assignment

The administrator groups agents into the following tiers with the top sales agents in Tier 1 and inexperienced agents in Tier 4.

- Tier 1 agents receive calls to the Premium skill and serve as reserve agents for the Gold skill.
- Tier 2 agents receive calls to the Gold skill and the New skill. Tier 2 agents serve as reserve agents for the Premium skill and the Silver skill.
Tier 2 agents are proficient at selling merchandise and providing information about catalog items but unsuccessful with add-on sales.
- Tier 3 agents receive calls to the Gold skill and the New skill. Tier 3 agents serve as reserve agents for the Premium skill and the Silver skill.

Tier 3 agents receive calls to the Premium skill only if all agents in Tier 1 and Tier 2 are busy.

- Tier 4 agents are inexperienced and receive calls to the Silver skill. Tier 4 agents serve as reserve agents for the Gold skill and the New skill.

The following table shows the agent skill assignment.

Agent tiers	Premium skill	Gold skill	Silver skill	New skill
Tier 1	Primary	Reserve level 1 (R1)	—	—
Tier 2	Reserve level 1 (R1)	Primary	Reserve level 2 (R2)	Primary
Tier 3	Reserve level 2 (R2)	Primary	Reserve level 1 (R1)	Primary
Tier 4	—	Reserve level 2 (R2)	Primary	Reserve level 1 (R1)

Overload thresholds

As all agents, except Tier 1 agents, serve as reserve agents for two skills, the administrator sets two levels of thresholds for each skill.

The following table lists the reserve agent activation time for each skill.

Skill	Overload threshold in seconds	SO in seconds
Premium	Level 1: 20 Level 2: 30	20
Gold	Level 1: 45 Level 2: 60	45
Silver	Level 1: 60 Level 2: 75	60
New	Level 1: 45 Level 2: 60	45

The administrator assigns service objectives at the skill level and the agent level.

Agent selection

The administrator selects **UCD-LOA** as the agent selection method. Communication Manager routes calls to the agent with the lowest percentage of time on ACD calls since login.

As the company encourages agents to complete all call-related activities during the call, Communication Manager adds the time spent in After Call Work (ACW) to the idle time calculations.

Call selection

The administrator selects **greatest-need** as the call handling preference and uses SO. Communication Manager selects calls based on the ratio of PWT to administered SO for a skill.

*** Note:**

Use SO to:

- Reduce Average Speed of Answer (ASA).
- Improve call selection for agents with more than one primary skill.

Automated agent staffing

The administrator uses SLS to activate reserve agents when the threshold levels for a skill exceed the administered limit.

The administrator does not use Call Selection Override so that Communication Manager delivers calls in the queue for the primary skills of agents.

Summary

PWT and SO determine call selection for agents with two primary skills or reserve skills when a reserve skill exceeds the threshold.

SLS activates reserve agents when the threshold levels for a skill exceed the administered limit.

By administering hunt groups and reserve agents based on skill proficiency, the company ensures that:

- All calls are handled efficiently.
- Sales opportunities are not lost.

Screen reference for increasing call handling efficiency

The following table includes the screens, fields, and field entries that you can use to administer the features that are described in this example.

Organization need	Screen title	Field title	Field entry
Assign service objective at the agent level.	Agent LoginID	Service Objective	y
Complete call-related activities during the call.	Feature-Related System Parameters	ACW Considered Idle	y
Deliver calls based on agent occupancy.	Hunt Group	Group Type	ucd-loa
Deliver calls based on the predicted wait time.	Feature-Related System Parameters	Call Selection Measurement	predicted-wait-time
Determine call selection method.	Agent LoginID	Call Handling Preference	greatest-need
Determine overload thresholds.	Hunt Group	Level 1 Threshold (sec) and Level 2 Threshold (sec)	0 to 99

Table continues...

Organization need	Screen title	Field title	Field entry
Improve the Average Speed of Answer (ASA) for calls to each skill.	Hunt Group	Service Objective	20 seconds
Reserve agents for calls to critical skills.	Agent LoginID	Reserve Level (RL)	1 or 2
Start reserve agents when a skill exceeds a threshold level.	Hunt Group	Service Level Supervisor	y

Reports for reviewing call handling efficiency

Supervisors can generate the following reports to determine whether agents handle calls efficiently.

Report type	Parameters	Purpose
Custom	Reserve agents	To determine: - The number of calls that reserve agents receive for a skill. - If the average talk time increases when reserve agents receive calls to a skill.
Historical Graphical Skill Overload	Time, in percentage, that skills are in an overload condition	To determine if skills frequently exceed the thresholds. A greater percentage indicates that the skill needs more primary agents.
Real-Time Split/Skill Graphical Status	- Average Speed of Answer (ASA) - Average abandon time - Average ACD time - Maximum delay	To determine the performance of each skill.

Example of maintaining service levels

Contact centers must maintain service levels for various reasons, such as contractual obligations or critical requirements from business units within the company.

Adjusting the threshold levels for each skill is a method of maintaining service levels and managing call volumes.

This example describes how the following features meet the needs of contact centers:

- Dynamic Threshold Adjustment

- Greatest Need as the call selection method
- Predicted Wait Time (PWT)
- Service Level Supervisor (SLS)
- Uniform Call Distribution-Least Occupied Agent (UCD-LOA) as the agent selection method

Background

A Business Process Outsourcing (BPO) company has three customers with contracts that require different service levels. The company must maintain the service levels to prevent penalties or loss of business.

The service level requirement for each customer is as follows:

- Customer X: 90% within 15 seconds
- Customer Y: 80% within 20 seconds
- Customer Z: 75% within 45 seconds

The company creates a skill for each customer and trains agents in all skills.

Skill assignment

The administrator adds three skills, A, B, and C for customers X, Y, and Z respectively. The administrator assigns skills to agents as follows:

- Top agents: Skill A and Skill B as primary skills.
- Average agents: Skill B as the primary skill and Skills A and C as reserve skills with the **Level 1** threshold.
- New agents: Skill C as the primary skill and Skill B as the reserve skill with the **Level 1** and **Level 2** thresholds.

The administrator assigns threshold levels based on the performance of new agents. For example, new agents who consistently meet service-level targets are **Level 1** agents for Skill B.

New agents do not receive calls to Skill A.

The following table shows the agent skill assignment.

Level of expertise	Skill A	Skill B	Skill C
Top agents	Primary	Primary	—
Average agents	Reserve level 1 (R1)	Primary	Reserve level 1 (R1)
New agents	—	• Reserve level 1 (R1) • Reserve level 2 (R2)	Primary
• Consistent performers • Average performers			

Overload thresholds

The administrator sets two reserve levels for new agents. Therefore, the administrator must set two overload threshold levels for Skill B.

The following table lists the reserve agent activation time for each skill.

Skill	Overload threshold in seconds	Service level target
A	Level 1: 10	90% in 15 seconds
B	Level 1: 12 Level 2: 17	80% in 20 seconds
C	Level 1: 35	75% in 45 seconds

Agent selection

The administrator selects **UCD-LOA** as the agent selection method. Communication Manager routes calls to the agent with the lowest percentage of time on ACD calls since login.

Before selecting an agent for the call, Communication Manager includes After Call Work (ACW) in the agent occupancy calculations.

Call selection

The administrator uses PWT as the call selection measurement to determine how long must a call wait in the queue if the currently available agent does not receive the call.

The administrator uses Greatest Need as the call selection method to ensure that an agent receives the highest priority call with the longest PWT.

Automated staffing

The administrator uses SLS to activate reserve agents when the threshold levels for a skill exceed the administered limit.

The administrator does not use Call Selection Override so that Communication Manager delivers calls in the queue for the primary skills of agents.

The administrator uses Dynamic Threshold Adjustment to automatically change service-level targets.

Summary

SLS activates reserve agents when the threshold levels for a skill exceed the administered limit.

Dynamic Threshold Adjustment ensures that the company does not miss service-level targets.

Screen reference for maintaining service levels

The following table includes the screens, fields, and field entries that you can use to administer the features that are described in this example.

Organization need	Screen title	Field title	Field entry
Automatically adjust the service-level target.	Hunt Group	Dynamic Threshold Adjustment	y
Complete call-related activities during the call.	Feature-Related System Parameters	ACW Considered Idle	y
Deliver calls based on agent occupancy.	Hunt Group	Group Type	ucd-loa

Table continues...

Organization need	Screen title	Field title	Field entry
Deliver calls based on the predicted wait time.	Feature-Related System Parameters	Call Selection Measurement	predicted-wait-time
Determine a call selection method.	Agent LoginID	Call Handling Preference	greatest-need
Determine overload thresholds.	Hunt Group	Level 1 Threshold (sec) and Level 2 Threshold (sec)	0 to 99
Determine the service level.	Hunt Group	Service Level Target (% in sec)	• Skill X: 90% in 15 seconds • Skill Y: 80% in 20 seconds • Skill Z: 75% in 40 seconds
Reserve agents for calls to critical skills.	Agent LoginID	Reserve Level (RL)	1 or 2
Start reserve agents when a skill exceeds a threshold.	Hunt Group	Service Level Supervisor	y

Reports for reviewing service levels

Supervisors can generate the following reports to determine whether the company meets service-level targets.

Report type	Parameters	Purpose
Custom	• Reserve agents • Average ACD time	To determine: • The number of calls that reserve agents receive for a skill. • If the average talk time increases when reserve agents receive calls to a skill.
Graphical Skill Overload	• Normal time • Overload time 1 • Overload time 2	To determine: • The time spent before a skill exceeds a threshold level. • The time spent after a skill exceeds a threshold level.
Graphical Staffing Profile	Staffing	To determine agent staffing and agent work.
• Real-Time Split/Skill Graphical Status • Historical Split/Skill Graphical Service Level	Percentage within the administered service level	To determine if the skills meet the service levels.

Example of managing unexpected call volume

Contact centers can receive unexpected call volumes. For example, in the following scenarios:

- Emergency calls
- Holiday season promotions
- Unexpected and temporary failure of a service

The challenge is to manage call volumes without losing the service levels for critical skills.

This example describes how the following features meet the needs of contact centers:

- Dynamic Threshold Adjustment
- Expert Agent Distribution-Least Occupied Agent (EAD-LOA) as an agent selection method
- Greatest Need as the call selection method
- Predicted Wait Time (PWT)
- Service Level Supervisor (SLS)
- Uniform Call Distribution-Least Occupied Agent (UCD-LOA) as an agent selection method

Background

A utility company receives calls with the following types of requests:

- Billing-related queries
- Disconnection requests
- Emergency calls
- New connection for domestic users or commercial users
- Power outage complaints

The company has an Interactive Voice Response (IVR) system to determine call routing and to receive customer information. The company also uses a call classification method to differentiate routine calls from urgent calls, for example, from a police department or a fire station.

All agents can handle routine calls that include the following services:

- Requests to close residential connections
- Current residential connection complaints
- New residential connections
- Residential power outage complaints

Skill assignment

The administrator creates four skills of the following type:

- Commercial
- Emergency
- Payment

- Routine

As the company requires all agents to handle emergency calls, the administrator assigns the Emergency skill to all agents.

The administrator groups agents into the following tiers with Tier 1 including the most experienced agents.

- Tier 1 agents receive calls from critical skills, that is, Emergency and Payment. Tier 1 agents have the Commercial skill as a reserve skill.
- Tier 2 agents excel at payment-related queries and collections. Therefore, Tier 2 agents have Payment as the primary skill with Emergency and Commercial as reserve skills.
- Tier 3 agents excel at handling calls to the Commercial skill. Therefore, Tier 3 agents have Commercial as the primary skill with Emergency and Routine as reserve skills.
- Tier 4 agents are new hires and receive calls to the Routine skill. The company is training Tier 4 agents for the Emergency skill if the call volume to the skill increases unexpectedly.

The following table shows the agent skill assignment.

Agent tiers	Emergency	Payment	Commercial	Routine
Tier 1	Primary	Primary	Reserve level 1 (R1)	—
Tier 2	Reserve level 1 (R1)	Primary	Reserve level 2 (R2)	—
Tier 3	Reserve level 2 (R2)	—	Primary	Reserve level 1 (R1)
Tier 4	Reserve level 2 (R2)	—	—	Primary

Tier 1 and Tier 2 agents do not receive calls to the Routine skill as the company wants the best agents to be available for calls to critical skills.

Overload thresholds

The administrator sets two levels of threshold for Emergency and Commercial skills.

The following table lists the reserve agent activation time for each skill.

Skills	Overload threshold in seconds	Service level target
Emergency	Level 1: 5 Level 2: 8	Not applicable
Payment	No thresholds	Not applicable
Commercial	Level 1: 20 Level 2: 30	85% in 20 seconds
Routine	Level 1: 40	85% in 40 seconds

Agent selection

The administrator uses **EAD-LOA** for the Commercial and Payment skills. Communication Manager routes calls to the agent with the highest skill level and the lowest percentage of time on ACD calls since agent login.

The administrator uses **UCD-LOA** for Emergency and Routine skills because all agents can handle calls to the skills. Communication Manager routes the call to the agent with the lowest percentage of time on ACD calls since agent login regardless of the skill level.

Call selection

The administrator selects **greatest-need** without Service Objective (SO) as the call handling preference to ensure that Communication Manager selects calls with the longest PWT.

The administrator uses **Call Selection Override** for the Emergency skill to ensure that the skill does not exceed the threshold limit.

When the Emergency skill status is in the overload threshold, Communication Manager delivers an Emergency skill call before calls to the primary skill of an agent. For example, a Tier 2 agent with Payment as the primary skill receives an emergency call before a payment-related call.

Automated agent staffing

The administrator uses SLS to activate reserve agents when the threshold levels for a skill exceed the administered limit.

The administrator selects **Activate on Oldest Call Waiting** to ensure that the contact center does not miss calls to the Emergency skill.

Summary

Call Selection Override ensures that agents receive emergency calls before calls to primary skills.

As calls to the Emergency skill are unpredictable, Expected Wait Time (EWT) calculations to activate reserve agents can be ineffective.

With **Activate on Oldest Call Waiting**, Communication Manager monitors the wait time of calls in the queue for the Emergency skill. If the wait time of the oldest call for the Emergency skill exceeds the overload thresholds levels, SLS activates reserve agents for the skill.

Dynamic Threshold Adjustment automatically adjusts the thresholds for the non-emergency skills to maintain service-level targets.

Screen reference for managing call volume

The following table includes the screens, fields, and field entries that you can use to administer the features that are described in this example.

Organization need	Screen title	Field title	Field entry
Assign a skill level.	Agent LoginID	Skill Level (SL)	Skill level 1 for primary skills
Automatically adjust the service-level target of non-emergency skills.	Hunt Group	Dynamic Threshold Adjustment	y
Complete call-related activities after the call.	Feature-Related System Parameters	ACW Considered Idle	n
Deliver calls based on agent occupancy.	Hunt Group	Group Type	• EAD-LOA • UCD-LOA

Table continues...

Organization need	Screen title	Field title	Field entry
Deliver calls based on the predicated wait time.	Feature-Related System Parameters	Call Selection Measurement	predicted-wait-time
Determine a call selection method.	Agent LoginID	Call Handling Preference	greatest-need
Determine overload thresholds.	Hunt Group	Level 1 Threshold (sec) and Level 2 Threshold (sec)	0 to 99
Determine the service level.	Hunt Group	Service Level Target (% in sec)	• Commercial: 85% in 20 seconds • Routine: 85% in 40 seconds
Reserve agents for calls to critical skills.	Agent LoginID	Reserve Level (RL)	1 or 2
Set the highest priority to emergency calls.	Feature-Related System Parameters Hunt Group	Call Selection Override	y n: For non-emergency skills
Set the highest priority to the oldest call for the Emergency skill.	Hunt Group	Activate on Oldest Call Waiting	y
Start reserve agents when a skill exceeds a threshold.	Hunt Group	Service Level Supervisor	y

Reports for reviewing call volume

Supervisors can generate the following reports to track the variations in call volume.

Report type	Parameters	Purpose
Custom	Reserve agents	To determine the number of calls that reserve agents receive for a skill.
Real-Time Split/Skill Graphical Status	Average abandon time	To determine the wait time before a caller abandons the call.
• Real-Time Split/Skill Graphical Status • Historical Split/Skill Graphical Service Level	• Average ACD time • Average Speed of Answer (ASA) • Maximum delay • Percentage within the administered skill level	To determine: • Average talk time for a skill. • Response time for calls. • Service levels. If the maximum delay exceeds the second overload threshold for the Emergency skill, increase the number of primary agents and reserve agents.

Example of segmenting the customer base

To increase profits, contact centers must balance the services levels and the cost of providing different service levels.

One way to reduce costs, especially when entering new markets, is to segment the customer base without adding skills.

This example describes how the following features meet the needs of contact centers:

- Dynamic Queue Position (DQP) or Service Objective (SO) by VDN
- Expert Agent Distribution-Least Occupied Agent (EAD-LOA) as an agent selection method
- Predicted Wait Time (PWT)
- Skill Level as a call selection method

Background

A company that sells home security systems is entering a new market. The company must increase sales and also offer superior customer service. Therefore, the Sales skill and the Service skill are equally important to the company.

As all agents can handle calls from the new market, the company decides to segment the customer base as follows.

- Region 1: New market customers who need high levels of service before they buy security systems from the company.
- Region 2: Current customers who abandon calls because of the wait time.
- Region 3: Current customers who tolerate wait time.

Skill assignment

As all agents handle Sales and Service calls, the administrator creates a single skill.

The administrator determines the skill level for each agent based on the proficiency to handle a call type.

Service Objective by VDN

The administrator uses DQP to place calls from multiple VDNs to a single skill queue while maintaining the service levels for the VDN. Communication Manager places calls based on the service objective of the VDN from where the call originates.

 Note:

DQP is also known as SO by VDN.

The following table describes how the administrator uses customer segmentation to assign the speed of answer for calls.

VDN	Description	SO in seconds
11	Sales VDN for Region 1	10
12	Sales VDN for Region 2	15

Table continues...

VDN	Description	SO in seconds
13	Sales VDN for Region 3	20
21	Service VDN for Region 1	10
22	Service VDN for Region 2	15
23	Service VDN for Region 3	20

Agent selection

The administrator uses **EAD-LOA** as the agent selection method. Communication Manager routes calls to the agent with the highest skill level and the lowest percentage of time on ACD calls since agent login.

The administrator does not select **Service Objective** at the agent level.

Call selection

As all agents must receive calls from all regions, the administrator:

- Matches the skill proficiency of each agent to the level of skill required for the Sales skill and the Service skill.
- Selects **skill-level** as the call selection method.
- Uses PWT to determine how long must a call stay in the queue if an available agent does not receive the call.

The levels determine the proficiency for each skill. For example:

- Level 1 indicates high proficiency.
- Level 2 indicates average proficiency.
- Level 3 indicates low proficiency.

Therefore, an available agent with the lowest occupancy and the highest proficiency for the Sales skill receives a call for the Sales skill.

If a least occupied agent with high proficiency for both the skills is available, Communication Manager delivers the call with the highest PWT.

Summary

With the **EAD-LOA** and **skill-level** field entries, the company ensures that agents receive calls based on skill proficiency.

With DQP, the company can match Average Speed of Answer (ASA) and the service objectives of the VDN from where the call originates. Therefore, Communication Manager can place a call from a new market customer ahead of most calls in the queue.

Screen reference for segmenting the customer base

The following table includes the screens, fields, and field entries that you can use to administer the features that are described in this example.

Organization need	Screen title	Field title	Field entry
Assign skill levels based on proficiency.	Agent LoginID	Skill Level (SL)	1, 2, or 3
Deliver calls based on agent occupancy.	Hunt Group	Group Type	EAD-LOA
Deliver calls based on the predicated wait time.	Feature-Related System Parameters	Call Selection Measurement	predicted-wait-time
Determine a call selection method.	Agent LoginID	Call Handling Preference	skill-level
Determine Service Objectives (SOs) at the VDN level.	Vector Directory Number (VDN)	Service Objective	y
Determine the position of a call in a queue based on the SO of the originating VDN.	Hunt Group	Dynamic Queue Position	y
Do not administer SOs at the agent level.	Agent LoginID	Service Objective	n

Reports for reviewing the effects of segmenting the customer base

Supervisors can generate the following reports to determine whether the company meets the administered service objectives.

Report type	Parameters	Purpose
• Real-Time Split/Skill Graphical Status • Historical Split/Skill Graphical Service Level	• Average Speed of Answer (ASA) • Percentage of abandoned calls • Percentage within service levels	To determine the performance of a skill.
• VDN Call Profile or VDN Graphical Call Profile • VDN Service Level	• Average Speed of Answer (ASA) • Maximum delay • Percentage of abandoned calls • Percentage within service levels	To determine if the current service objectives for each VDN match the administered value.

Chapter 4: Administering Business Advocate

Administer Business Advocate through one of the following:

- Communication Manager: To create new login IDs.
- CMS Supervisor: To administer existing agent login IDs.

*** Note:**

Do not administer Business Advocate and Service Level Maximizer (SLM) on the same system as these two features are mutually exclusive.

The following table lists the tasks that you can perform through Communication Manager and CMS Supervisor.

Administration tasks	Communication Manager	CMS Supervisor
Activating Service Objective (SO) by agent.	Yes	Yes
Adding or deleting skills per agent.	Yes	Yes
Administering call handling preference.	Yes	Yes
Administering call selection measurement.	Yes	No
Administering Dynamic Queue Position (DQP).	Yes	No
Administering hunt group types.	Yes	No
Administering Service Level Supervisor (SLS).	Yes	No
Administering SO by skill.	Yes	No
Assigning reserve agents.	Yes	Yes
Creating agent login IDs.	Yes	No
Creating hunt groups.	Yes	No
Including After Call Work (ACW) in Least Occupied Agent (LOA) calculations.	Yes	No
Viewing or changing agent skills.	Yes	Yes

Administering Business Advocate through Communication Manager

Adding Business Advocate licenses to the total ACD agent count

About this task

The maximum logged-in agent count is a function of the number of agents. Therefore, the following field settings do not add to the logged-in ACD agent count:

- The **Service Objective** field settings on the Hunt Group screen.
- Least Occupied Agent (LOA) skill assignment of type **ucd-loa** or **ead-loa**.

Procedure

1. At the command prompt, type `change hunt-group xxx`, where `xxx` is the number of the hunt group. Press **Enter**.
2. In the **Group Type** field, select **pad**.

Note:

Use the **pad** field option if **Dynamic Advocate** is active for the system.

3. In the **Dynamic Queue Position** field, enter `y`.
4. In the **Service Level Supervisor** field, enter `y`.
5. Press **Enter** to save the changes.
6. At the command prompt, type `change agent-loginid xxx`, where `xxx` is the login ID of an agent. Press **Enter**.

For information about automatic logout and login of logged-in agents, see *Administering Avaya Aura® Call Center Elite*.

7. In the **Call Handling Preference** field, select **percent-allocation**.
8. In the **Service Objective** field, enter `y`.
9. In the **RL** field, enter a reserve level of 1 or 2.
10. Press **Enter** to save the changes.

Related links

[Administering Business Advocate](#) on page 41

[Agent licensing](#) on page 23

Business Advocate screen reference

The following table lists the screens and the fields for agent, skill, system, and VDN levels of administration.

Screen title	Field title
<i>Agent-level administration</i>	
Agent LoginID	Call Handling Preference • greatest-need • percent-allocation • skill-level
	Direct Agent Calls First
	Percent Allocation (PA)
	Reserve Level (RL)
	Service Objective
<i>Skill-level administration</i>	
Hunt Group	Activate on Oldest Call Waiting
	Dynamic Percentage Adjustment
	Dynamic Queue Position
	Dynamic Threshold Adjustment
	Expected Call Handling Time (sec)
	Group Type • ead-loa • ead-mia • pad • ucd-loa • ucd-mia
	Level 1 Threshold (sec)
	Level 2 Threshold (sec)
	Service Level Supervisor
	Service Level Target (%)
	Service Objective
<i>System-level administration</i>	
Feature-Related System Parameters	ACW Agents Considered Idle
	AUX Agent Remains in LOA Queue
	AUX Agents Considered Idle (MIA)
	Auto Reserve Agents
	Call Selection Measurement
	MIA Across Splits/Skills
	Service Level Supervisor Call Selection Override

Table continues...

Screen title	Field title
<i>VDN-level administration</i>	
Vector Directory Number (VDN)	Service Objective

Agent LoginID field descriptions

To make changes that affect agents, administer the fields on the Agent LoginID screen.

Agent-level changes include decisions about call handling, service objective, reserve agent, and target allocation.

Field title	Field description
Call Handling Preference	To determine a call selection method during call surplus conditions. Valid entries are as follows: • greatest-need • percent-allocation: Applicable if Business Advocate is active for the system. • skill-level: The default setting. You can administer skill levels from 1 to 16 for each skill that you assign to an agent. For reserve agents, the reserve level options are 1 or 2.
Direct Agent Calls First	To select Direct Agent Calls before calls to other skills, including calls for skills that exceed threshold limits. Valid entries are <i>y</i> and <i>n</i>. This field replaces Service Objective if you select percent-allocation in the Call Handling Preference field.
Percent Allocation (PA)	To enter a target allocation, from 1 to 100, as a percentage for each non-reserve skill that you assign to an agent. The sum of the target allocation for all non-reserve skills must equal 100. This field is applicable if you select percent-allocation in the Call Handling Preference field.
Service Objective	To select calls based on the ratio of call selection measurement to administered service objective for a skill. This field is applicable if you select greatest-need or skill-level in the Call Handling Preference field.
Reserve Level (RL)	To assign agents as reserve agents for a skill or a group of skills.

Hunt Group field descriptions

To make changes that affect skills, administer the fields on the Hunt Group screen.

Skill-level changes include decisions about group type, call selection in agent surplus conditions, call handling, threshold levels, service-level targets, and automatic adjustment of parameters that affect the performance of a skill.

Field title	Field description
Activate on Oldest Call Waiting	To activate reserve agents based on Expected Wait Time (EWT) and the time in a queue. The field is applicable if you use Service Level Supervisor (SLS).
Dynamic Percentage Adjustment	To determine whether the system automatically adjusts the target allocation of an agent based on the difference between the current and the administered service-level target for the assigned skills. The field is applicable if you: • Select ead-loa, pad, or ucd-loa in the Group Type field. • Use Dynamic Advocate.
Dynamic Queue Position	To allow calls from different Vector Directory Numbers (VDNs) with varying service objectives to queue to a single skill. The field is applicable if you use Dynamic Advocate.
Dynamic Threshold Adjustment	To dynamically adjust the overload thresholds for skills to meet the administered service-level targets. The field is applicable if you use Dynamic Advocate and SLS.
Expected Call Handling Time (sec)	To include the average call handling time for a skill. Call handling time includes the talk time and can include the After Call Work (ACW) time. The system uses this administered time for EWT and percent allocation calculations.
Group Type	To determine an agent selection method during agent surplus conditions.
Level 1 Threshold (sec) and Level 2 Threshold (sec)	To determine when to activate reserve agents or Call Selection Override. The fields are applicable if you use SLS.
Service Level Supervisor	To use reserve agents, Call Selection Override, and Dynamic Threshold Adjustment.

Table continues...

Field title	Field description
Service Level Target (%)	To set a target, that is, the percentage of calls answered within a specified number of seconds. The default field setting is 80% in 20 seconds. The field is applicable if you select pad in the Group Type field and enter <i>y</i> in the following fields: • Dynamic Threshold Adjustment or Dynamic Percentage Adjustment • Dynamic Advocate Use the field with: • Dynamic Threshold Adjustment: For SLS. • Dynamic Percentage Adjustment: For Percent Allocation.
Service Objective	To determine the number of seconds within which agents must answer calls. The default is 20 seconds. This field replaces Acceptable Service Level (sec) if you use Business Advocate.

Feature-Related System Parameters field descriptions

To make changes that affect the system, administer the fields on the Feature-Related System Parameters screen.

System-level changes include decisions about the need for auto reserve agents, wait-time methods, agent availability, and service levels.

Field title	Field description
ACW Agents Considered Idle	To determine whether to add After Call Work (ACW) to the idle time calculations. Valid entries are <i>y</i> and <i>n</i> .
AUX Agent Remains in LOA Queue	To include agents who are in the AUX mode in the Least Occupied Agent (LOA) queue. Valid entries are <i>y</i> and <i>n</i> .
AUX Agent Considered Idle	To include agents who are in the AUX mode in the Most Idle Agent (MIA) queue. Communication Manager counts the time in AUX as idle time. Valid entries are <i>y</i> and <i>n</i> .

Table continues...

Field title	Field description
Auto Reserve Agents	To reserve agents for critical skills that do not meet service-level targets. Valid entries are as follows: • all: To leave reserve agents idle if the current work time meets the target allocation for a skill. • none: To disregard reserve agents. • secondary-only: To leave reserve agents idle for all assigned skills, except the primary skill, that is, skill level 1. Use this field option so that Communication Manager checks the skill levels that you assign on the Agent LoginID screen.
Call Selection Measurement	To determine the wait-time criterion for call selection. If Business Advocate is active, the default field setting is predicted-wait-time. If you select current-wait-time, the system selects the Oldest Call Waiting (OCW) for any agent skill. The field is applicable if you select greatest-need or skill-level in the Call Handling Preference field.
MIA Across Splits/Skills	To determine whether to remove an agent from the Most Idle Agent (MIA) queue when the agent receives a call for an assigned split or skill. Valid entries are <i>y</i> and <i>n</i>.
Service Level Supervisor Call Selection Override	To override the call selection method and to deliver calls for skills that exceed the overload thresholds. The field is applicable on a system level and a skill level. To apply the field on the skill level, administer the field on the Hunt Group screen for each skill.

Vector Directory Number field descriptions

Field title	Field description
Service Objective (sec)	To place calls from multiple VDNs in a single skill queue. To use this field, enter the number of seconds within which agents must receive calls from the VDN.

Administering Call Selection Measurement

About this task

Use the procedure to determine how Communication Manager selects calls when calls are in a queue and an agent is available to receive calls.

Procedure

1. At the command prompt, type `change system-parameters features` and press **Enter**.
2. In the **Call Selection Measurement** field on page 12 of the Feature-Related System Parameter screen, select one of the following options:

- **current-wait-time**
- **predicted-wait-time**

Note:

If you use Percent Allocation as the call selection method, leave this field at the default value because Communication Manager selects calls based on the target allocation for agents in each skill regardless of the wait time.

3. Press **Enter** to save the changes.

Related links

[Administering Business Advocate](#) on page 41

Administering Greatest Need

About this task

With Greatest Need, Communication Manager selects the oldest and highest priority call for any assigned skill.

For administered agent login IDs, you can administer the Agent LoginID screen through CMS Supervisor.

Procedure

1. At the command prompt, type `change agent-loginid xxx`, where xxx is the login ID of an agent. Press **Enter**.

For information about automatic logout and login of logged-in agents, see *Administering Avaya Aura® Call Center Elite*.
2. In the **Call Handling Preference** field, select **greatest-need**.
3. In the **Service Objective** field, enter `y` to use Greatest Need with Service Objective (SO).
4. Enter a skill number from 1 to 8000 for each skill that you assign to the agent.
5. In the **SL** field, enter a skill level from 1 to 16. For a primary skill, enter 1.
6. In the **RL** field, enter a reserve level of 1 or 2.

Reserve levels 1 and 2 indicate the Expected Wait Time (EWT) threshold levels.

 Note:

The **RL** field applies if you enter *y* in the **Service Level Supervisor** field on the Hunt Group screen.

7. Press **Enter** to save the changes.

Related links

[Administering Business Advocate](#) on page 41

Administering Service Level Supervisor

About this task

Use the procedure to manage calls, agents, and overload thresholds during high call volumes.

Procedure

1. At the command prompt, type `change hunt-group xxx`, where *xxx* is the number of the hunt group. Press **Enter**.
2. In the **Service Level Supervisor** field, enter *y*.
3. In the **Activate on Oldest Call Waiting** field, enter one of the following field options:
 - *y*: SLS uses the time in a queue and Expected Wait Time (EWT) when activating reserve agents.
 - *n*: SLS uses only EWT when activating reserve agents.
4. If you administer Call Selection Override at the system level, enter one of the following field options in the **Call Selection Override** field:
 - *y*: Communication Manager overrides the administered call selection method when the skill exceeds an overload threshold level.
 - *n*: Call Selection Override is not active for the skill.
5. In the **Level 1 Threshold (sec)** and **Level 2 Threshold (sec)** fields, enter the time when SLS must activate reserve agents.

The best practice for **Level 1 Threshold (sec)** is to enter five seconds less than the Average Speed of Answer (ASA) for calls to the skill.

 Note:

- Call Selection Override, if active for a skill, starts when the skill exceeds the time in **Level 1 Threshold (sec)**. For critical skills, you can administer a low threshold value so that Communication Manager selects calls to critical skills before calls to other skills.
- Administer **Level 2 Threshold (sec)** if you do not use Dynamic Threshold Adjustment.

6. In the **Dynamic Threshold Adjustment** field, enter *y*.

Use Service Level Target with Dynamic Threshold Adjustment.

7. In the fields associated with the **Service Level Target** field, enter the percentage and the number of seconds.
8. Press **Enter** to save the changes.

Administering a reserve agent

Procedure

1. At the command prompt, type `change agent-loginid xxx`, where *xxx* is the login ID of an agent. Press **Enter**.

For information about automatic logout and login of logged-in agents, see *Administering Avaya Aura® Call Center Elite*.

2. Perform the following steps to assign an agent ID as a reserve agent for a skill:
 - a. In the **SL** field, enter the skill number.
 - b. In the **RL** field, enter *1* to use the reserve agent when the skill exceeds the time in **Level 1 Threshold (sec)**.
 - c. In the **RL** field, enter *2* to use the reserve agent when the skill exceeds the time in **Level 2 Threshold (sec)**.

 Note:

Enter *2* if you use two threshold levels, not for a single threshold level. Agents receive calls when the skill exceeds the second threshold level. In this case, leave the **SL** field blank.

3. Repeat Step 3 to administer another reserve agent.
4. Press **Enter** to save the changes.

Administering SLS Call Selection Override

Procedure

1. At the command prompt, type `change system-parameters features` and press **Enter**.
2. In the **Service Level Supervisor Call Selection Override** field, enter *y*.
3. Press **Enter** to save the changes.

Administering Skill Level

About this task

With Skill Level, Communication Manager selects the oldest and highest priority call for the highest skill level of an available agent.

For administered agent login IDs, you can administer the Agent LoginID screen through CMS Supervisor.

Procedure

1. At the command prompt, type `change agent-loginid xxx`, where xxx is the login ID of an agent. Press **Enter**.

For information about automatic logout and login of logged-in agents, see *Administering Avaya Aura® Call Center Elite*.
2. In the **Call Handling Preference** field, select **skill-level**.
3. In the **Service Objective** field, enter `y` to use Skill Level with Service Objective (SO).
4. Enter a skill number from 1 to 8000 for each skill that you assign to the agent.
5. In the **SL** field, enter a skill level from 1 to 16. For a primary skill, enter 1.
6. In the **RL** field, enter a reserve level of 1 or 2.

Reserve levels 1 and 2 indicate the Expected Wait Time (EWT) threshold levels.

Note:

The **RL** field applies if you enter `y` in the **Service Level Supervisor** field on the Hunt Group screen.

7. Press **Enter** to save the changes.

Related links

[Administering Business Advocate](#) on page 41

Using Percent Allocation

About this task

To use Percent Allocation and the related features, administer the features in the following order:

1. Agent-level decisions on the Agent LoginID screen
2. Skill-level decisions on the Hunt Group screen
3. System-level decisions on the Feature-Related System Parameters screen

Procedure

1. On the Agent LoginID screen, administer **percent-allocation**.
2. On the Hunt Group screen, administer **pad** and **Dynamic Percentage Adjustment**.
3. On the Feature-Related System Parameters screen, administer **Auto Reserve Agents**.

Administering Percent Allocation

Procedure

1. At the command prompt, type `change agent-loginid xxx`, where xxx is the login ID of an agent. Press **Enter**.

For information about automatic logout and login of logged-in agents, see *Administering Avaya Aura® Call Center Elite*.

2. In the **Call Handling Preference** field, select **percent-allocation**.
3. In the **Direct Agent Calls First** field, enter **y** to deliver direct agent calls before other ACD calls.

This field replaces **Service Objective** and precedes percent allocation if the contact center receives direct agent calls.

4. Enter a skill number from 1 to 8000 for each skill that you assign to the agent.
5. In the **SL** field, enter a skill level from 1 to 16. For a primary skill, enter 1.
6. In the **RL** field, enter a reserve level of 1 or 2.
7. In the **PA** field, enter a percentage from 1 to 100.

Agents receive calls for a reserve skill only when the skill exceeds an overload threshold. Therefore, do not enter target percentages for reserve skills.

8. Verify that the total allocation is 100%.
9. Press **Enter** to save the changes.

Administering Dynamic Percentage Adjustment and PAD

Procedure

1. At the command prompt, type `change hunt-group xxx`, where **xxx** is the number of the hunt group. Press **Enter**.
2. In the **Group Type** field, select **pad**.

Note:

Use the **pad** field option if **Dynamic Advocate** is active for the system.

3. In the **Expected Call Handling Time (sec)** field, enter the average call handling time.
4. In the **Dynamic Percentage Adjustment** field, enter **y**.

This field is applicable when you select **ead-loa**, **pad**, or **ucd-loa** as the agent selection method.

5. In the fields associated with the **Service Level Target** field, enter the percentage and the number of seconds.
6. Press **Enter** to save the changes.

Administering Auto Reserve Agents

Procedure

1. At the command prompt, type `change system-parameters features` and press **Enter**.

2. In the **ACW Agents Considered Idle** field on page 12 of the Feature-Related System Parameters screen, enter one of the following options:
 - **y**: Communication Manager includes After Call Work (ACW) in the idle time calculation.
 - **n**: Communication Manager includes ACW in the agent total work time calculation.
3. In the **Auto Reserve Agents** field, select one of the following options:
 - **all**: Communication Manager leaves reserve agents idle if the current work time meets the target allocation for a skill.
 - **none**: Communication Manager disregards reserve agents.
 - **secondary-only**: Communication Manager leaves reserve agents idle for all assigned skills, except the primary skill, that is, skill level 1.
4. Press **Enter** to save the changes.

Using Service Objective

About this task

Use Dynamic Queue Position (DQP) to administer Service Objective (SO) at the VDN level.

Administer SO in the following order:

1. Agent-level decisions on the Agent LoginID screen
2. Skill-level decisions on the Hunt Group screen
3. System-level decisions on the Feature-Related System Parameters screen

Procedure

1. On the Agent LoginID screen, administer **Call Handling Preference** and **Service Objective**.
2. On the Hunt Group screen, administer **Dynamic Queue Position** and **Service Objective (sec)**.
3. On the Feature-Related System Parameters screen, administer **Call Selection Measurement**.

Administering SO for an agent

Procedure

1. At the command prompt, type `change agent-loginid xxx`, where xxx is the login ID of an agent. Press **Enter**.

For information about automatic logout and login of logged-in agents, see *Administering Avaya Aura® Call Center Elite*.
2. In the **Call Handling Preference** field on the Agent LoginID screen, select **greatest-need** or **skill-level**.
3. In the **Service Objective** field, enter **y**.

4. Enter a skill number from 1 to 8000 for each skill that you assign to the agent.
5. In the **SL** field, enter a skill level from 1 to 16. For a primary skill, enter 1.
6. In the **RL** field, enter a reserve level of 1 or 2.
7. Press **Enter** to save the changes.

Administering SO for a skill

Procedure

1. At the command prompt, type `change hunt-group xxx`, where xxx is the number of the hunt group. Press **Enter**.
2. In the **Service Objective (sec)** field on page 2 of the Hunt Group screen, enter the number of seconds.
3. Press **Enter** to save the changes.

Administering Dynamic Queue Position

Procedure

1. At the command prompt, type `change hunt-group xxx`, where xxx is the number of the hunt group. Press **Enter**.
2. In the **Dynamic Queue Position** field, enter y.
3. Press **Enter** to save the changes.

Next steps

After you administer Dynamic Queue Position (DQP) for a skill, determine Service Objective (SO) for each VDN that routes calls to the skill.

Administering SO for a VDN

Procedure

1. At the command prompt, type `change vdn xxx`, where xxx is the number of the VDN. Press **Enter**.
2. In the **Service Objective** field on the Vector Directory Number (VDN) screen, enter the number of seconds.
3. Press **Enter** to save the changes.

DQP effects on call selection

The Dynamic Queue Position (DQP) field settings on the Hunt Group screen affect call selection for an agent login ID that has **Service Objective** active on the Agent LoginID screen.

The following conditions determine call selection:

- If you assign only DQP-enabled skills to an agent and the agent is available to receive calls, Communication Manager delivers a call from the skill queue with the oldest waiting call at the top of the skill queue.

- If you assign some DQP-enabled skills, Communication Manager delivers calls based on the Service Objective (SO) for each skill.

You can select calls based on the skill SO for agents with only DQP-enabled skills, but the administration varies with the **Direct Agent Calling** (DAC) field settings.

Administering call selection based on skill SO when DAC is in use

Procedure

1. In the **Direct Agent Skill** field on the Agent LoginID screen, enter the skill number.
2. In the **Dynamic Queue Position** field, enter *n*.

Administering call selection based on skill SO when DAC is not in use

Procedure

1. Create a hunt group.
2. In the **Dynamic Queue Position** field on the Hunt Group screen, enter *y*.
3. Assign the hunt group to agents with only DQP-enabled skills.

Administering Business Advocate through CMS Supervisor

Administering the existing agent login IDs

About this task

To administer the existing agent login IDs, use one of the following CMS Supervisor administration windows:

- Change Agent Skills
- Multi-Agent Skill Change

Note:

Use Communication Manager to create new agent login IDs.

Procedure

1. In the Controller window, select **Commands > Agent Administration**.
CMS Supervisor displays the Agent Administration window.
2. In the **ACD** field, select the Communication Manager server.
3. Click the **Operations** tab and select one of the following administration windows:
 - Change Agent Skills
 - Multi-Agent Skill Change

4. Click **OK**.

Related links

[Moving multiple agents to a skill](#) on page 60
[Removing multiple agents from a skill](#) on page 60
[Deleting agent skills](#) on page 58
[Changing agent skills](#) on page 57
[Administering service level](#) on page 61
[Adding multiple agents to a skill](#) on page 59
[Adding agent skills](#) on page 56

Change Agent Skills window

Use this administration window to perform the following tasks:

- Add agent skills.
- Administer call handling preferences.
- Administer reserve agents.
- Change or view agent skills.
- Delete agent skills.

Adding agent skills

Before you begin

Perform the steps in Administering the existing agent login IDs to navigate to the **Operations** tab and to select the administration window.

Procedure

1. In the Change Agent Skills window, click **Add Skills**.
The system displays the Add Agent Skills window.
2. In the **Available Skills** field in the Add Agent Skills window, select the skills.
3. In the **Level** field, select the skill level for each skill that you assign to the agent login ID.
4. Click **OK**.

Related links

[Administering the existing agent login IDs](#) on page 55

Administering call handling preference

Procedure

1. In the **Call Handling Preference** check box on the Change Agent Skill window, select one of the following options:
 - **Greatest Need**
 - **Percent Allocation**

- **Skill Level**

2. If you select **Greatest Need** or **Skill Level**, administer **Service Objective** and click **Add Skills**.
3. If you select **Percent Allocation**, click **Add Skills**.
4. Administer the skill level or target allocation for each skill.
5. (Optional) To administer a skill as the primary skill of the agent, select a skill from the **Assigned Skills** column and click **Make Top Skill**.

 Note:

If you select **Skill Level** and assign only reserve levels to an agent, the system disables **Make Top Skill**. Reserve agents must be available for critical skills that do not meet service-level targets. Therefore, do not add primary skills to reserve agents.

6. Click **OK** to save the changes.

Administering reserve agents

Procedure

1. In the **Call Handling Preference** field in the Change Agent Skills window, select one of the following field options:
 - **Greatest Need**
 - **Skill Level**
2. In the Change Agent Skills window, click **Add Skills**.
The system displays the Add Agent Skills window.
3. In the **Available Skills** field in the Add Agent Skills window, select the skills.
4. In the **Level** field, select the reserve level as **r1** or **r2**.
5. Click **OK** to save the changes.

Changing agent skills

Before you begin

Perform the steps in Administering the existing agent login IDs to navigate to the **Operations** tab and to select the administration window.

Procedure

1. In the Select Agent/Template window, type one of the following agent-related information to change skills:
 - Agent login ID
 - Agent name
 - Agent template
2. Click **OK**.

CMS Supervisor displays the Change Agent Skills window with the agent or template name and the agent login ID.

Related links

[Administering the existing agent login IDs](#) on page 55

Deleting agent skills

Before you begin

Perform the steps in Administering the existing agent login IDs to navigate to the **Operations** tab and to select the administration window.

Procedure

1. In the **Assigned Skills** field in the Change Agent Skills window, select the skill.
2. Click **Delete Skill**.
3. In the Delete Agent Skills dialog box, click **OK**.

Note:

An agent must have at least one skill.

4. Repeat the steps to delete other skills.

Related links

[Administering the existing agent login IDs](#) on page 55

Using agent templates

About this task

A template is an existing agent profile with skill settings. You can apply these skill settings to other agent profiles.

The Change Agent Skills window includes agent templates that include information about agent skills, levels, interrupt types, and target allocations. Using an agent template saves time as all agents have the same skill settings.

Procedure

1. In the Select Agent/Template window, enter the title of the agent template in the **Agent** field.

CMS Supervisor displays the Change Agent Skills window with the skills profile of the template.

2. Select the **Agent Name(s)/Login ID(s)** check box, and type up to 50 agent IDs in the **Agent** field.

You can enter a maximum of 250 characters. Separate agent IDs by semicolons. You can also use the **Available Agents** list or **Browse** dialog box to select agents.

3. Click **OK** to save the changes. The system forwards the change request to Communication Manager.

CMS Supervisor displays the Status dialog box with the status of each change request.

You can click **Script** to run an executable file to change agent skills for up to 50 agents.

Multi-Agent Skill Change window

Use this administration window to perform the following tasks:

- Add multiple agents to a skill.
- Move multiple agents to a skill.
- Remove multiple agents from a skill.

Any skill that you change takes effect immediately for agents in the Auxiliary (AUX) or Available (AVAIL) work modes. The system displays a pending flag next to the agent login ID for agents with:

- Active ACD or non-ACD calls
- Calls on hold
- Direct Agent Calls in a queue

Adding multiple agents to a skill

Before you begin

Perform the steps in Administering the existing agent login IDs to navigate to the **Operations** tab and to select the administration window.

Procedure

1. On the **Skills** menu, click **Skill List**.

CMS Supervisor displays the Skill List window that lists all administered skills.

2. On the **Agents** menu, click **List All Staffed Agents**.

CMS Supervisor displays the Agent List window that lists all active and logged-in agents.

3. In the Agent List window, press and hold **Control** and select multiple agent IDs.

4. Right-click and select **Add Agents to Skill**.

CMS Supervisor displays the Add Agents to Skill window that lists all active and logged-in agents.

5. In the **To Skill** field, select a skill.

6. In the **Level** field, select the skill level or the reserve level to assign new levels to the agent.

Field options for skill level range from 1 to 16, where 1 is the highest skill assignment. Field options for reserve levels include **r1** or **r2**, where **r1** is the first threshold level.

7. Click **OK** to save the changes or **Script** to save the procedure as an executable template.

Related links

[Administering the existing agent login IDs](#) on page 55

Moving multiple agents to a skill

Before you begin

Perform the steps in Administering the existing agent login IDs to navigate to the **Operations** tab and to select the administration window.

Procedure

1. On the **Agents** menu, click **List All Staffed Agents**.
CMS Supervisor displays the Agent List window that lists all active and logged-in agents.
2. In the Agent List window, press and hold **Control** and select multiple agent IDs.
3. Right-click and select **Move Agent to Another Skill**.
CMS Supervisor displays the Move Agent to Another Skill window.
4. In the **To Skill** field, select a skill.
5. Perform one of the following actions:
 - Select the **Preserve Original Levels** check box to keep the administered skill level of the agent.
 - In the **Level** field, select the required skill level or reserve level to assign new levels to the agent.
Field options for skill level range from 1 to 16, where 1 is the highest skill assignment.
Field options for reserve levels include **r1** or **r2**, where **r1** is the first threshold level.
6. Click **OK** to save the changes or **Script** to save the procedure as an executable template.

Related links

[Administering the existing agent login IDs](#) on page 55

Removing multiple agents from a skill

Before you begin

Perform the steps in Administering the existing agent login IDs to navigate to the **Operations** tab and to select the administration window.

About this task

Caution:

If you perform the following steps to remove agent IDs with call handling preference as **percent-allocation**, the system deletes all administered target allocations.

Procedure

1. On the **Skills** menu, click **Skill List**.
CMS Supervisor displays the Skill List window that lists all administered skills.
2. Double-click the skill to remove agents.
CMS Supervisor displays a list of agents with the skill.

3. To remove the agents:
 - a. Press and hold **Control**, and select agent names.
 - b. Right-click and select **Remove Agents From Skill**.

CMS Supervisor displays the Remove Agents From Skill window.

4. Click **OK** to save the changes or **Script** to save the procedure as an executable template.

Related links

[Administering the existing agent login IDs](#) on page 55

Administering service level

Reporting adjuncts, such as Call Management System, track and generate reports on the percentage of calls that meet the administered service level.

Before you begin

Perform the steps in Administering the existing agent login IDs to navigate to the **Operations** tab.

Procedure

1. Click the **Operations** tab and select **Split/Skill Call Profile Setup**. Click **OK**.
2. In the **Split(s)/Skill(s)** field, select the skill name or skill number.
3. In the **Acceptable service level** field, enter a number from 0 to 9999.

The number is the speed of answer for calls to the skill.

For more information, see *Avaya Call Management System Administration*.

4. In each **Service level increments (seconds)** field, enter the number of seconds in ascending order.

The field includes nine subfields of type **Inc** with the first subfield as **Inc 1** and the last subfield as **Inc 10 and above**.

The range for each subfield entry is from 0 to 999. For example, you can set **Inc 1** as 5 or 15, indicating an increment from 0 to 5 seconds or 0 to 15 seconds.

You can also set different intervals in each subfield. For example, you can set **Inc 1** to 5, **Inc 2** to 12, and **Inc 3** to 15. The interval between the first two subfields is 7, and the interval between the last two subfields is 3.

Note:

- CMS tracks this interval for answered calls and abandoned calls.
- Each subfield entry indicates a longer wait time for a call.

5. Click **Action** and select **Add** to complete the procedure.

Related links

[Administering Business Advocate](#) on page 41

[Administering the existing agent login IDs](#) on page 55

Database items and calculations

CMS database tables

CMS stores all ACD data in real-time and historical databases. You can use the data to generate reports.

CMS tracks a call from the time the call arrives on a trunk till the end of the call. CMS also tracks After Call Work (ACW) as part of the call data. After call completion, CMS stores the call data in different database tables.

The following table indicates how CMS captures the call data in different database tables.

Table 8: Call flow data capture

Database tables	Call flow							
	Call seizes trunk	Call enters VDN or vector	Call queues to skill	Vector processing ends	Call rings at agent station	Agent responds to the caller	Trunk drops the call	Agent leaves ACW
Trunk or Trunk Group	Start						Stop	
Vector		Start				Stop		
VDN		Start						Stop
Split/Skill			Start					Stop
Agent					Start			Stop
Call Work Codes						Start		Stop

Each database table consists of database items with the following types of data.

Table 9: CMS database items

Data type	Description
Administrative	Data that you administer through Communication Manager or CMS Supervisor.
Busy Hour	Data that CMS tracks during the peak time.
Cumulative	Data that CMS tracks during a data collection interval. Most real-time database items contain the cumulative data type.
Maximum Interval Value	The maximum value reached for a specified interval.
Row Identifier	Data common to all tables.
Special Table	Data in a specific table.
Status	Data indicating the status of a specific parameter.

For more information, see *Avaya Call Management System Database Items and Calculations*.

Agent database items

Table 10: Administrative data type items

Database item	Description
DACALLS_FIRST	An indication that an agent with call handling preference as percent-allocation requested for Direct Agent Calls before other calls. An item value of one (1) indicates that an agent requested for Direct Agent Calls. This item is part of the real-time database.
GNSKILL	The order in which agents with the greatest need preference receive calls. Assign levels to each skill to ensure that an agent handles the oldest and highest priority calls. This item is part of the real-time database.
PERCENT	The time, in percentage, that an agent spends in a skill. This item is part of the real-time database.
PREFERENCE	The call handling preference of an agent. Item values are as follows: • LVL (skill level) • NEED (greatest need) • PCNT (percent allocation) The item is blank if you do not administer call handling preference on the Agent LoginID screen. This item is part of the real-time database.
SKLEVEL	The skill level or reserve level of the first skill that an agent logs in to. The item applies to the LOGONSKILL database item, which identifies the first skill that an agent logs in to.
SKPERCENT	The allocated time, in percentage, for an agent in the first skill that an agent logs in to.
USE_SVC_OBJ	An indication that an agent with an administered Service Objective (SO) requested for calls. An item value of one (1) indicates that an agent requested for calls. This item is part of the real-time database.

Table 11: Status data type items

Database item	Description
LEVEL	The skill level or reserve level of a skill that an agent logs in to. This item is part of the real-time database.

Table continues...

Database item	Description
ROLE	The service type assignment for an agent in a skill. Item values are as follows: • Allocated: Agents with call handling preference as percent-allocation. • Backup: Agents with call handling preference as skill-level and without primary skill or reserve level assignments. • Reserved: Agents with reserve levels of R1 or R2 for the skill. • Roving: Agents with call handling preference as greatest-need and with all administered skill levels, from 1 to 16. • Top: Agents with the skill as the primary skill, that is, skill level 1. This item is part of the real-time database.
TOPSKILL	The primary skill of an agent. This item is part of the real-time database.
WORKSKLEVEL	The skill level or reserve level for each skill that an agent handles at a time. The item applies to the WORKSKILL database item, which is the number of skills that an agent handles at a time. This item is part of the real-time database.

Agent Login/Logout database items

The following table lists the database items that support Business Advocate.

Table 12: Administrative data type items

Database item	Description
PREFERENCE	The call handling preference of an agent. Item values are as follows: • LVL (skill level) • NEED (greatest need) • PCNT (percent allocation) The item is blank if you do not administer call handling preference on the Agent LoginID screen. This item is part of the real-time database.
SKLEVEL	The skill level or reserve level of the first skill that an agent logs in to. The item applies to the LOGONSKILL database item, which identifies the first skill that an agent logs in to.
SKPERCENT	The allocated time, in percentage, for an agent in the first skill that an agent logs in to.

Related links

[Administering Business Advocate](#) on page 41

Split/Skill database items**Table 13: Administrative data type items**

Database item	Description
MAX_TOT_PERCENTS	The maximum total staffed agent percentage that is allocated to a skill.
TOT_PERCENTS	The total staffed agent percentage allocated to a skill. This item is part of the real-time database.

Table 14: Cumulative data type items

Database item	Description
ACDCALLS_R1	The number of ACD calls that a reserve level 1 agent answers for a skill.
ACDCALLS_R2	The number of ACD calls that a reserve level 2 agent answers for a skill.
I_NORMTIME	The length of time that a skill is within all administered overload threshold levels.
I_OL1TIME	The length of time that a skill is in overload threshold level 1.
I_OL2TIME	The length of time that a skill is in overload threshold level 2.

Table 15: Status database item

This item is part of the real-time database.

Database item	Description
SKSTATE	The state of a skill compared to all administered thresholds. Skill state options include: • AUTORSV • BEHIND • NORMAL • OVRLD1 • OVRLD2 • UNKNOWN

Table 16: Status data type items for flex agents

All database items in this table are part of the real-time database.

Database item	Description
FAGINRING	The number of flex agents for whom ACD calls are ringing at the station.
FAAVAILABLE	The number of flex agents available to receive ACD calls.

Table continues...

Database item	Description
FINACW	The number of flex agents in the ACW mode for a skill.
FINAUX	The number of flex agents in the AUX mode for a skill.
FONACD	The number of flex agents who are on ACD calls for a skill.
FOTHER	The number of flex agents who are in the OTHER work mode for a skill.
FSTAFFED	The number of flex agents who are staffed for a skill. These agents are not reserve agents and have the skill assigned as a secondary skill.
Flex agents have the following work roles: • Allocated: Agents with call handling preference as percent-allocation. • Backup: Agents with call handling preference as skill-level and without primary skill or reserve level assignments. • Roving: Agents with call handling preference as greatest-need and with all administered skill levels, from 1 to 16.	

Table 17: Status data type items for agents with call handling preference as greatest-need

All database items in this table are part of the real-time database.

Database item	Description
GNAGINRING	The number of agents with ACD calls ringing at the stations.
GNAVAILABLE	The number of available agents.
GNDA_INACW	The number of agents in the ACW mode for direct agent calls. The total number of agents in ACW is the sum of GNDA_INACW and GNINACW.
GNDA_ONACD	The number of agents on direct agent ACD calls.
GNINACW	The number of agents in the ACW mode.
GNINAUX	The number of agents in the AUX work mode for inbound or outbound extension calls.
GNINAUX0	The number of agents in the AUX work mode with the reason code zero (0) for all assigned skills.
GNINAUX10 through GNINAUX99	The number of agents in the AUX work mode with a reason code from 10 to 99.
GNONACD	The number of agents who are on ACD calls.
GNONACDAUXOUT	The number of multiple call handling agents on AUXOUT calls with an ACD call on hold for a skill.
GNONACDOUT	The number of agents on outbound calls that an adjunct makes to the skill. This item is applicable with the Adjunct-Switch Application Interface (ASAI) feature.
GNONACWIN	The number of agents in the ACW mode and on inbound extension calls.
GNONACWOUT	The number of agents in the ACW mode and on outbound extension calls.

Table continues...

Database item	Description
GNONAUXIN	The number of agents: • In the AUX work or Available work mode • With ACD AUXIN or ACD AUXOUT calls on hold • On inbound extension calls where the skill is the oldest skill the agents logged in to.
GNONAUXOUT	The number of agents: • In the AUX work or Available work mode • With ACD AUXIN or ACD AUXOUT calls on hold • On outbound extension calls where the skill is the oldest skill that the agents logged in to.
GNOTHER	The number of agents in the OTHER work mode.
GNSTAFFED	The number of agents who are staffed for a skill.

Table 18: Status data type items for reserve levels

All database items in this table are part of the real-time database.

Database item	Description
R1AGINRING	The number of reserve level 1 agents with ACD call ringing for the skill.
R1AVAILABLE	The number of reserve level 1 agents available for a call to the skill.
R1INACW	The number of reserve level 1 agents in the ACW mode for a skill.
R1INAUX	The number of reserve level 1 agents in the AUX mode for a skill. The item does not include reserve level 1 agents for a normal skill, that is, a skill where the current service level matches the administered level.
R1ONACD	The number of reserve level 1 agents who are on ACD calls for the skill.
R1OTHER	The number of reserve level 1 agents who are in the OTHER work mode when active to receive calls for a critical skill. The item does not include reserve level 1 agents who are logged-in and in standby for a normal skill.
R1STAFFED	The number of reserve level 1 agents who are logged-in to receive calls for a critical skill.
R2AGINRING	The number of reserve level 2 agents with ACD call ringing for the skill.
R2AVAILABLE	The number of reserve level 2 agents available for a call to the skill.
R2INACW	The number of reserve level 2 agents in the ACW mode for a skill.
R2INAUX	The number of reserve level 2 agents in the AUX mode for a skill. The item does not include reserve level 2 agents for a normal skill, that is, a skill where the current service level matches the administered level.
R2ONACD	The number of reserve level 2 agents who are on ACD calls for the skill.

Table continues...

Database item	Description
R2OTHER	The number of reserve level 2 agents who are in the OTHER work mode when active to receive calls for a critical skill. The item does not include reserve level 2 agents who are logged in and in standby for a normal skill.
R2STAFFED	The number of reserve level 2 agents who are logged in to receive calls for a critical skill.

Related links

[Administering Business Advocate](#) on page 41

CMS dictionary calculations

Use the following calculation types for real-time, historical, and integrated CMS and CMS Supervisor reports.

You can also use the calculations for custom reports and designer reports.

**Caution:**

Modifications to standard calculations change the meaning of the data in the reports.

Table 19: Standard dictionary calculations

Calculation title	Description
AVG_EQV_AGENTS_STFD	The average position staffed for a skill across all call handling preferences.
DEDICATED_AGENT	The number of dedicated agents assigned to a skill.
FACTIVE_AG	The number of flex agents in a skill with the following conditions: • In the ACW mode • On ACD calls • With ACD calls ringing at the station
FTE_AGENTS	The number of full time equivalent (FTE) agents staffed for a skill.
MAX_DEDICATED_AGT	The maximum number of dedicated agents assigned to a skill. The calculation includes top agents and FTE agents.
MAX_FTE_AGENTS	The maximum number of FTE agents for a skill.
R1ACTIVE_AGT	The number of reserve agents with R1 threshold assignment. The calculation includes reserve agents with the following conditions: • In the ACW mode • On ACD calls • With ACD calls ringing at the station

Table continues...

Calculation title	Description
R2ACTIVE_AGT	The number of reserve agents with R2 threshold assignment. The calculation includes reserve agents with the following conditions: • In the ACW mode • On ACD calls • With ACD calls ringing at the station

The calculation types in the following table are not standard CMS calculations but provide information specific to Business Advocate.

Table 20: Report-specific calculations

Calculation title	Description
% Aban	Percentage of abandoned calls to all VDNs of a selected ACD system.
% Busy	Percentage of busy calls to all VDNs of a selected ACD system.
% Disconnect	Percentage of disconnected calls to all VDNs of a selected ACD system.
% Flow Out	Percentage of redirected calls to all VDNs of a selected ACD system.
% Agent Occup (Group) w/ACW	Percentage of agent or agent group occupancy, including ACW time.
% Agent Occup (Group) w/o ACW	Percentage of agent or agent group occupancy, excluding ACW time.

For more information, see *Avaya Call Management System Database Items and Calculations*.

Related links

[Administering Business Advocate](#) on page 41

Chapter 5: Feature interactions

BCMS and VuStats interactions

Feature	Interaction
Acceptable Service Level (ASL)	You can use ASL to view the service levels through BCMS and VuStats.  Note: ASL requires Service Objective (SO).
Service Level Supervisor (SLS)	BCMS tracks the work mode of reserve agents as OTHER on the Monitor BCMS Skill report when the skills do not exceed overload thresholds. BCMS tracks the work mode of reserve agents as ACD, ACW, AUX, or OTHER when the skills exceed overload thresholds.

Direct Agent Calls interactions

Feature	Interaction
Least Occupied Agent (LOA)	When an agent receives a direct agent call, Communication Manager adds the time spent on the call to the total work time and occupancy calculations.
Percent Allocation	Direct Agent Calls First replaces Service Objective on the Agent LoginID screen when percent-allocation is the call selection method. If you use Direct Agent Calls First, the system overrides percent allocation and delivers direct agent calls before any ACD call.

Table continues...

Feature	Interaction
Service Level Supervisor (SLS)	SLS activates reserve agents when a skill exceeds an overload threshold. Agents with only reserve skills cannot receive direct agent calls because the agents must be available for calls to critical skills. If you use direct agent calls with SLS, agents with primary and reserve skills receive direct agent calls before any ACD call regardless of overload thresholds. Therefore, administering SLS with direct agent calls overrides SLS and does not meet the business objective of maintaining the service levels.
Skill Level	Direct Agent Calls First is inapplicable when the call selection method is skill-level .

Location Preference Distribution interactions

With Location Preference Distribution, Communication Manager first attempts to route ACD calls to agents at the same location as the originating trunk. Communication Manager routes calls to agents at a different location if the local resources cannot meet the administered service objectives.

The field settings for Location Preference Distribution take precedence over the settings for Business Advocate.

Agent selection and call selection based on Location Preference Distribution take precedence over Service Level Supervisor (SLS) and Percent Allocation. However, the SLS and Percent Allocation settings override the settings for Location Preference Distribution in the following situations when a reserve agent receives calls:

- When skills exceed the Estimated Wait Time (EWT) threshold with SLS active.
- When the current service level is less than the administered threshold with Percent Allocation active.

If more than one reserve agent is available for a call, Communication Manager follows the Location Preference Distribution settings.

Percent Allocation interactions

Feature	Interaction
Add/Remove skills by Feature Access Codes (FACs)	Do not use FACs to add or remove skills when the call handling preference is percent-allocation as change in skills can affect the service levels. Communication Manager denies requests for changes in skills and plays an intercept tone.

Table continues...

Feature	Interaction
Agent login and logout	With percent-allocation and Least Occupied Agent (LOA) , Communication Manager starts calculations for total work time and occupancy when agents log in to the system. If an agent logs out of the system and logs in again, Communication Manager restarts the calculations.
Auto Reserve Agent	With percent allocation , auto reserve agents do not receive calls for skills when the Expected Wait Time (EWT) is within the threshold level.
Multiple Call Handling (MCH)	Do not use MCH with Percent Allocation as MCH affects the total work time calculations for an agent.
Percent Allocation Distribution (PAD)	To use percent-allocation as a call selection method, you must select pad as the Group Type on the Hunt Group screen.
Predicted Wait Time (PWT)	PWT does not work with Percent Allocation as Percent Allocation does not use the time in a queue for call selection.

Service Level Supervisor interactions

Feature or condition	Interaction
Abandoned calls	Abandoned calls can cause the threshold levels for a skill to drop if SLS activates reserve agents during an overload threshold condition. Abandoned calls can interfere with SLS and also lead to inaccurate reporting.
AUDIX™	AUDIX™ is a voicemail system. Therefore, do not administer an AUDIX™ hunt group when you use SLS.
Auto-Available Skill (AAS)	SLS monitors the threshold levels of each skill and activates reserve agents only when a skill exceeds the threshold levels. Therefore, reserve agents can be idle even if calls are in the queue. Most supervisors use AAS for non-human agents, such as Voice Response Units (VRUs), to ensure that auto-in agents in a skill are continuously available for calls. Therefore, do not administer AAS agents as reserve agents.
Multiple Call Handling (MCH)	SLS overrides the MCH settings for a skill if the skill is within the overload thresholds. Therefore, a reserve agent, if available, in an MCH skill does not receive calls if the skill does not exceed the overload threshold.

Table continues...

Feature or condition	Interaction
Multiple skill queuing	With Call Vectoring, Communication Manager can place calls in up to three skill queues at a time. If SLS is active, placing calls to multiple skills can affect the service levels of the skills. For example, a skill can exceed a threshold level because calls are in the queue. Multiple Skill Queuing can interfere with SLS and lead to inaccurate performance statistics.
Redirection on No Answer (RONA)	A redirected call can affect the threshold levels of a skill and cause SLS to activate reserve agents.

Service Objective interactions

Feature	Interaction
Acceptable Service Level (ASL)	You can use ASL to view the service levels through BCMS and VuStats.  Note: ASL requires Service Objective (SO).
Priority Queuing	Dynamic Queue Position (DQP) or SO by VDN places calls in a queue based on the priority of the VDN from where the call originates. Therefore, the system places calls from VDNs with critical SOs before most calls in the queue. Priority queuing overrides DQP because priority can vary with the following: • Class of Restriction (COR) • Dialed number • Incoming trunk group • Number of available agents • Number of calls in a queue • Wait time for calls in a queue

Work time and occupancy interactions

Feature or condition	Interaction
Agent Hold	Communication Manager counts all time, including ACD calls on hold, in the calculations for total work time and occupancy. If Multiple Call Handling (MCH) is active, Communication Manager includes the time spent in all skills.
Agent Login and Logout	With percent-allocation and Least Occupied Agent (LOA) , Communication Manager starts calculations for total work time and occupancy when agents log in to the system. If an agent logs out of the system and logs in again, Communication Manager restarts the calculations.
Call Coverage	Communication Manager includes the time that calls ring at a station.
Call Forwarding	Communication Manager includes the time that calls ring at a station.
Call Park	Communication Manager does not include parked calls.
Call Pickup	Communication Manager includes the time that calls ring at a station.
Conference or Transfer	Communication Manager includes the time calls are on hold before a conference or a transfer.
Non-ACD calls	Communication Manager does not include the time spent on non-ACD calls.
Redirection on No Answer (RONA) calls	Communication Manager includes the time that calls ring at a station.
Timed After Call Work (TACW)	If you set ACW Considered Idle to y , Communication Manager does not include the time spent in call-related activities.
VDN of Origin Announcement (VOA)	Communication Manager includes the time that an agent spends listening to VOA.

Table 21: Extension calls and Least Occupied Agent (LOA)

Extension call status	LOA action
Auxiliary (AUX)	Communication Manager disregards the AUX work time.
Auto-in or Manual-in with no ACD call on hold	Communication Manager includes the time spent as idle time.
Auto-in or Manual-in with an ACD call on hold	Communication Manager includes the time spent as work time.
ACW	If you set ACW Considered Idle to y , Communication Manager does not include the time spent in call-related activities.

Chapter 6: Resources

Documentation

Title	Use the document to:	Audience
Supporting		
<i>Avaya Aura® Communication Manager System Capacities Table</i>	Read about the system capacity and system scalability.	Implementation engineers, sales engineers, and solution architects
<i>Programming Call Vectoring Features in Avaya Aura® Call Center Elite</i>	Write and edit call vectors.	Implementation engineers and system administrators
<i>Avaya Aura® Call Center Elite Call Vectoring Feature Description</i>	Learn how the Call Vectoring feature work and get to now details about feature characteristics, capabilities, capacities, and interactions.	Implementation engineers and system administrators
Understanding		
<i>Avaya Aura® Call Center Elite Feature Reference</i>	Read about Automatic Call Distribution (ACD) and Call Vectoring features.	All users of Avaya Aura® Call Center Elite
<i>Avaya Aura® Communication Manager Feature Description and Implementation</i>	Read about Avaya Aura® Communication Manager features.	All users of Communication Manager
Using		
<i>Using Avaya Business Advocate</i>	Learn how to use Business Advocate for agent selection and call selection.	Contact center managers, system administrators, and supervisors
<i>Using Avaya 96X1 SIP Agent Deskphones with Avaya Aura® Call Center Elite</i>	Know the prerequisites for using Avaya 96X1 SIP agent deskphones with Call Center Elite.	Implementation engineers and system administrators
Administering		
<i>Administering Avaya Aura® Call Center Elite</i>	Administer all the Call Center Elite features.	System administrators
Troubleshooting		

Table continues...

Title	Use the document to:	Audience
<i>Troubleshooting Avaya Aura® Call Center Elite</i>	Know how to troubleshoot common problems and denial events related to Call Center Elite.	All users who perform troubleshooting tasks in Call Center Elite
Implementation		
<i>Planning for an Avaya Aura® Call Center Elite Implementation</i>	Know how to transition from a basic call center environment to an Expert Agent Selection (EAS) and a Call Vectoring environment.	All users who perform Call Center Elite site preparation and planning tasks, including implementation engineers and sales engineers.

Finding documents on the Avaya Support website

Procedure

1. Go to <https://support.avaya.com>.
2. At the top of the screen, click **Sign In**.
3. Type your **EMAIL ADDRESS** and click **Next**.
4. Enter your **PASSWORD** and click **Sign On**.
5. Click **Product Documents**.
6. Click **Search Product** and type the product name.
7. Select the **Select Content Type** from the drop-down list
8. In **Select Release**, select the appropriate release number.

For example, for user guides, click **User Guides** in the **Content Type** filter. The list only displays the documents for the selected category.

9. Press **Enter**.

Accessing the port matrix document

Procedure

1. Go to <https://support.avaya.com>.
2. At the top of the screen, click **Sign In**.
3. Type your **EMAIL ADDRESS** and click **Next**.
4. Enter your **PASSWORD** and click **Sign On**.
5. Click **Product Documents**.

6. Click **Search Product** and type the product name.
7. Select the **Select Content Type** from the drop-down list
8. In **Choose Release**, select the required release number.
9. In the **Content Type** filter, select one or both the following categories:
 - **Application & Technical Notes**
 - **Design, Development & System Mgt**

The list displays the product-specific Port Matrix document.

10. Press **Enter**.

Avaya Documentation Center navigation

For some programs, the latest customer documentation is now available on the Avaya Documentation Center website at <https://documentation.avaya.com>.

Important:

For documents that are not available on Avaya Documentation Center, click **More Sites > Support** on the top menu to open <https://support.avaya.com>.

Using the Avaya Documentation Center, you can:

- Search for keywords.

To filter by product, click **Filters** and select a product.

- Search for documents.

From **Products & Solutions**, select a solution category and product, and then select the appropriate document from the list.

- Sort documents on the search results page.
- Click **Languages** (🌐) to change the display language and view localized documents.
- Publish a PDF of the current section in a document, the section and its subsections, or the entire document.
- Add content to your collection using **My Docs** (★).

Navigate to the **Manage Content > My Docs** menu, and do any of the following:

- Create, rename, and delete a collection.
- Add topics from various documents to a collection.
- Save a PDF of the selected content in a collection and download it to your computer.
- Share content in a collection with others through email.

- Receive collection that others have shared with you.
- Add yourself as a watcher using the **Watch** icon (👁).

Navigate to the **Manage Content > Watchlist** menu, and do the following:

- Enable **Include in email notification** to receive email alerts.
- Unwatch selected content, all content in a document, or all content on the Watch list page.

As a watcher, you are notified when content is updated or deleted from a document, or the document is removed from the website.

- Share a section on social media platforms, such as Facebook, LinkedIn, and Twitter.
- Send feedback on a section and rate the content.

 Note:

Some functionality is only available when you log in to the website. The available functionality depends on your role.

Training

The following courses are available on www.avaya-learning.com. Enter the course code in the **Search** field, and click **Go** to search for the course.

Course code	Course title
ACIS-7391	
73600V	Implementing Avaya Aura® Call Center Elite 40 hours
7391X	Avaya Aura® Call Center Elite and Avaya Aura® Call Center Elite Multichannel Implementation Exam 1.50 hours
ACSS-7491	
74600V	Supporting Avaya Aura® Call Center Elite 16 hours
7491X	Avaya Aura® Call Center Elite and Avaya Aura® Call Center Elite Multichannel Support Exam 1.50 hours
2416W	Avaya Aura® Call Center Elite Fundamentals 0.5 hour for all audiences
2412W	Using Avaya Workspaces for Call Center Elite – Agents 0.5 hour for end-users
2414W	Using Avaya Workspaces for Call Center Elite – Supervisors 0.5 hour for end-users

Viewing Avaya Mentor videos

Avaya Mentor videos provide technical content on how to install, configure, and troubleshoot Avaya products.

About this task

Videos are available on the Avaya Support website, listed under the video document type, and on the Avaya-run channel on YouTube.

- To find videos on the Avaya Support website, go to <https://support.avaya.com/> and do one of the following:
 - In **Search**, type `Avaya Mentor Videos`, click **Clear All** and select **Video** in the **Content Type**.
 - In **Search**, type the product name. On the Search Results page, click **Clear All** and select **Video** in the **Content Type**.

The **Video** content type is displayed only when videos are available for that product.

In the right pane, the page displays a list of available videos.

- To find the Avaya Mentor videos on YouTube, go to www.youtube.com/AvayaMentor and do one of the following:
 - Enter a keyword or keywords in the **Search Channel** to search for a specific product or topic.
 - Scroll down Playlists, and click a topic name to see the list of videos available. For example, Contact Centers.

Note:

Videos are not available for all products.

Support

Go to the Avaya Support website at <https://support.avaya.com> for the most up-to-date documentation, product notices, and knowledge articles. You can also search for release notes, downloads, and resolutions to issues. Use the online service request system to create a service request. Chat with live agents to get answers to questions, or request an agent to connect you to a support team if an issue requires additional expertise.

Related links

[Using the Avaya InSite Knowledge Base](#) on page 79

Using the Avaya InSite Knowledge Base

The Avaya InSite Knowledge Base is a web-based search engine that provides:

- Up-to-date troubleshooting procedures and technical tips
- Information about service packs
- Access to customer and technical documentation
- Information about training and certification programs

- Links to other pertinent information

If you are an authorized Avaya Partner or a current Avaya customer with a support contract, you can access the Knowledge Base without extra cost. You must have a login account and a valid Sold-To number.

Use the Avaya InSite Knowledge Base for any potential solutions to problems.

1. Go to <https://support.avaya.com>.
2. At the top of the screen, click **Sign In**.
3. Type your **EMAIL ADDRESS** and click **Next**.
4. Enter your **PASSWORD** and click **Sign On**.

The system displays the Avaya Support page.

5. Click **Support by Product > Product-specific Support**.
6. In **Enter Product Name**, enter the product, and press **Enter**.
7. Select the product from the list, and select a release.
8. Click the **Technical Solutions** tab to see articles.
9. Select **Related Information**.

Related links

[Support](#) on page 79

Glossary

abandoned call	An inbound call in which the caller disconnects the call before an agent can answer the call.
acceptable service level	The number of seconds within which an agent must answer calls. The acceptable service level (ASL) for each skill varies based on the criticality of a skill.
access permissions	Permissions that an administrator assigns to a Call Management System (CMS) user to gain access to CMS subsystems or to administer ACD skills, trunks, or vectors.
ACD	Automatic Call Distribution (ACD) is a telephony feature for processing and distributing inbound, outbound, and internal calls to groups of extensions.
ACD call	A call that Communication Manager: • Delivers to an agent with the required skill. • Delivers to an agent or puts in a queue as a direct agent call. • Puts in a queue for an agent skill.
active agents	Agents who are on an ACD call, who have calls ringing at the station, or who are in the After Call Work (ACW) mode.
ACW	An agent enters the After Call Work (ACW) mode to complete ACD call-related activities, such as filling forms or taking notes. An agent in the ACW mode is unavailable to receive ACD calls.
adjusted work time	The total agent work time expressed as a percentage of staffed time and adjusted by a one-call look ahead calculation.
agent occupancy	The ratio of the total time spent on ACD calls and call-related activities, such as ACW, to the total staffed time in a skill.
agent report	A report that provides historical traffic information for internally measured agents.

agent role	An agent role describes how an agent participates in a skill. Administrators define a role based on the skill level and the call handling preference.
agent surplus	A condition where more than one agent is available, that is, idle to receive an incoming call.
allocated agents	Agents with percent-allocation as the call handling preference.
ANI	Automatic Number Identification (ANI) is a display of the calling number for agents to gain access to information about the caller.
ASA	Average Speed of Answer (ASA) is the average number of seconds that a call waits in a queue before an agent answers the call. ASA includes the queue time and the station ring time.
ASAI	Adjunct-Switch Application Interface (ASAI) is an Avaya protocol that applications use to gain access to the call-processing capabilities of Communication Manager.
auto reserve agents	Agent IDs that Communication Manager must keep idle when the current work time of the agent meets the target allocation for a skill. You can use this Auto Reserve Agents with Percent Allocation to balance workload and service levels.
auto-in	A call-answering mode in which an agent automatically receives ACD calls without pressing any button to receive calls.
AUX work	Agents enter the Auxiliary (AUX) work mode for non-ACD activities, such as taking a break, going for lunch, or making an outgoing call. Agents in the AUX work mode are unavailable to receive ACD calls.
available agents	Logged-in, that is, staffed agents who are available to receive ACD calls. Available agents are usually in the auto-in mode or manual-in mode with no ringing, active, or held call appearances.
calculation	A menu selection in the CMS Dictionary subsystem. Use this menu to assign an abbreviated name to the calculation that generates data for a field in a report.
call selection override	A Service Level Supervisor (SLS) feature that changes call selection based on the administered threshold. Call selection override selects calls for skills that exceed the threshold before calls for skills within the threshold.
call surplus condition	A condition where ACD calls are in a queue and agents are unavailable to receive calls.

CWT	Current Wait Time (CWT) or Oldest Call Waiting (OCW) is the time that a call is in a queue.
database items	The names for data types in CMS databases. A database item can store ACD identifiers. For example, split numbers or split names, login IDs, VDNs, and emails. A database item can also store statistical data on ACD performance. For example, the number of ACD calls, wait time for calls in a queue, agent work mode, and emails.
database tables	CMS uses database tables to collect, store, and retrieve ACD data. Standard database items are names of the columns in the CMS database tables.
Dictionary	A CMS subsystem that you can use to assign names to call center entities, such as login IDs, splits or skills, trunk groups, VDNs, and vectors. You can use Dictionary to customize calculations for use in reports.
EWT	Expected Wait Time (EWT) is an estimate of how long must a call wait in a queue before an agent answers the call. Communication Manager calculates EWT based on the current call traffic, past call traffic, call handling time, and agent staffing conditions.
historical database	A database that contains the following records for each measured agent, split or skill, trunk, trunk group, vector, and Vector Directory Number (VDN): • Intrahour records for up to 62 days in the past. • Daily records for up to 5 years in the past. • Weekly or monthly records for up to 10 years in the past.
overload threshold state	A skill is in the overload threshold state when the expected wait time or the time in a queue for calls to the skill exceeds the administered values.
PWT	Predicted Wait Time (PWT) is an estimate of how long must a call wait in a queue if an available agent does not receive the call.
real-time database	A database that consists of the current and previous intrahour data on each measured agent, split or skill, trunk, trunk group, vector, and VDN.
reserve agents	Agents who receive calls when a skill exceeds the administered thresholds.
roving agents	Agents with greatest-need as the call handling preference and with all administered skill levels, from level 1 to level 16.
staffed agents	Agents who are logged in to the system.

standard reports	A set of reports that CMS and CMS Supervisor generates for the user.
template	A template is an available agent profile with skill settings. Templates are available in the Change Agent Skill window of CMS Supervisor.
VDN	Vector Directory Number (VDN) is an extension number that directs calls to a vector. VDNs can represent a call type or a service category, such as Billing or Customer Service.
work role	A type of service assignment for an agent in a skill. Work roles include allocated, backup, reserved, roving, and top.

Index

A

abandon time	37
abandoned calls	40, 61
acceptable service level (ASL)	61, 70, 73
accessing port matrix	76
ACD agent count	23, 42
activating reserve agents	27
ACW as idle time	46
adjusting target allocations	13
adjusting thresholds	21, 49
adjusting work time	19
administration decisions	
agent level	50, 51, 53
service targets for skills	54
skill level	51–54
skill level decisions	54
system level	51–53
VDN level	53, 54
administrative data type items	63–65
after call work (ACW)	41, 46, 52
agent allocation, adjusting	25
agent hold time	74
agent level decisions	50, 51, 53
agent licensing, adding	42
agent login IDs, creating	41
agent occupancy	9, 29, 36, 39
agent profiles	58
agent removal warning	60
agent selection	24
criteria	9
idle time	9
occupancy	9
skill level	9
agent selection example	
EAD-LOA	10
EAD-MIA	11
PAD	11
UCD-LOA	11
UCD-MIA	12
agent selection method	21, 27, 30, 34, 38
agent skills	
adding	41, 55, 56
changing	41, 55, 57
deleting	41, 55, 58
viewing	41, 55
agent staffing	8, 33
agent surplus	9, 24
agent template	57
agent work	
adjusting time	19
allocating time	24
changing state	19

agent work time	46
agent work time, allocating	25
agent-level administration	42
assigned skills	56, 58
assigning reserve levels	19
assigning service objectives	29
assigning skill levels	60
auto reserve agents	13, 18, 19, 21, 24, 46, 51, 52
auto-available skill (AAS)	72
available skills	56
Avaya support website	79
average speed of answer (ASA)	13, 26, 30, 37, 38, 40, 53
average talk time	26

B

balancing workload	24, 51
BCMS interactions	70
BCMS reports	70
Business Advocate screens	42

C

call abandon time	30
call coverage	74
call flow	62
call forwarding	74
call handling	44
call handling preference	12, 39, 41, 48, 50, 53, 55–57, 64, 65
call handling preference, administering	56
call handling time	25, 26, 52
call park	74
call pickup	74
call priority, assigning	34
call routing decisions	9
call selection	12, 24, 54
call selection example	
greatest need	16
percent allocation	17
skill level	17
call selection measurement	30, 41, 42, 46, 48
call selection method	14, 21, 27, 29, 30, 32, 34, 38, 48
greatest need	42
percent allocation	42
skill level	42
call selection override	7, 8, 12, 34, 46, 49, 50
call selection with DQP	55
call selection, overriding	49
call surplus	12, 24
call surplus condition	7
call volume changes	18
call volumes, managing	7, 34, 36
calls to single skill	38

changing work states	19
changing work time allocation	19
CMS database	
data types	62
historical	62
items	62
real-time	62
tables	62
CMS Supervisor administration window	
Change Agent Skills	55–57
Multi-Agent Skill Change	55, 59
collection	
delete	77
edit name	77
generating PDF	77
sharing content	77
content	
publishing PDF output	77
searching	77
sharing	77
sort by last updated	77
watching for updates	77
creating templates	60
cumulative data type items	65
current wait time (CWT)	12, 16, 46, 48, 53
custom reports	30, 33, 37
customer segmentation	38

D

DAC interactions	70
database items	63–65
delivering calls to primary skills	13
delivering priority calls	13
dictionary calculations	68
direct agent calling (DAC)	55
direct agent calls first	14, 56
documentation center	77
finding content	77
navigation	77
documentation portal	77
finding content	77
navigation	77
dynamic percentage adjustment	8, 13, 18, 19, 21, 24, 45, 51
dynamic queue position (DQP)	14, 38, 41, 45, 47, 53–55, 73
dynamic threshold adjustment	8, 18, 21, 30, 34, 45, 49

E

EAD-LOA example	10
EAD-MIA example	11
existing login IDs	55
expected call handling time	24, 45
expected wait time (EWT)	19, 48, 50, 71
expert agent distribution (EAD)	8, 21, 34, 38

F

feature access codes (FACs)	71
feature compatibility	21
finding content on documentation center	77
finding port matrix	76
flex agents	65

G

greatest need	56
greatest need example	16
group type	45
ead-loa	42
ead-mia	42
pad	42
ucd-loa	42
ucd-mia	42
group types, administering	41

H

highest priority call selection	48
historical reports	30
hunt group type	52
hunt groups	41

I

idle time	9
idle time calculation	52
increasing revenue	8
InSite Knowledge Base	79

L

least occupied agent (LOA)	8, 21, 27, 30, 34, 38, 41
LOA interactions	74
location preference distribution	71
logged-in advocate agents	23

M

maintaining service levels	8, 30, 38
maximum logged-in agents	23, 42
most idle agent (MIA)	21, 46
moving agents between skills	19
moving multiple agents	60
multiple agents, removing	60
multiple call handling (MCH)	71, 72
multiple skill change	59
multiple skill queuing	72
multiple skills, adding	59
My Docs	77

O

oldest call selection	48
oldest call waiting (OCW)	8 , 16 , 20 , 45
overload thresholds	7 , 33 , 49
overriding call handling preference	14
overriding call selection	20

P

PAD example	11
percent allocation	17 , 21 , 24 , 25 , 51 , 56 , 70 , 71
percent allocation distribution (PAD)	8 , 21 , 24 , 51 , 71
percent allocation interactions	71
percent allocation, overriding	51
percent allocation, using	51
port matrix	76
predicted wait time (PWT)	12 , 16 , 20 , 21 , 27 , 30 , 38 , 46 , 48 , 53
preserving skill levels	60
preventing agent burnout	13 , 19
priority queuing	73

Q

queue priority	12
----------------------	--------------------

R

real-time reports	30
reducing ASA	53
reducing cost of service	38
remote feature activation (RFA)	23
report type	26
reports	
agent workload	26
call handling efficiency	30
call volume	37
custom	30 , 33 , 37
customer base segmentation	40
historical	30
real-time	30
service levels	33
reserve agent performance	33 , 37
reserve agents	29 , 32 , 44 , 50 , 65
reserve agents, activating	7
reserve agents, administering	57
reserve agents, assigning	41 , 55 , 56
reserve levels	19 , 44 , 48 , 50 , 59
right-to-use (RTU)	23
routing calls locally	71

S

screen reference	
agent workload	25

screen reference (continued)

Business Advocate	42
call handling efficiency	29
call volume	36
customer base segmentation	39
service levels	32
searching for content	77
segmenting customers	38
selecting oldest call in queue	13
service level supervisor (SLS)	
.....	8 , 19 , 21 , 27 , 30 , 34 , 41 , 45 , 46 , 48 , 49 , 70–72
service level targets	52
service levels	30 , 34 , 45
service levels, administering	61
service levels, reviewing	40
service objective (SO)	
.....	8 , 12 , 14 , 16 , 17 , 21 , 27 , 38 , 41 , 45 , 47 , 48 , 50 , 53–56 , 73
service objective by VDN	38 , 39
service objective interactions	73
sharing content	77
skill call profile	61
skill level	44 , 48 , 50 , 56 , 59 , 64 , 70
skill level decisions	53
skill level example	17
skill levels, assigning	25 , 36 , 53
skill performance, reviewing	30 , 40
skill-level administration	42
SLS interactions	71 , 72
sort documents by last updated	77
speed of answer	61
status data type items	63 , 65
support	79
system level decisions	53
system-level administration	42

T

target allocation	44
threshold levels	12 , 46
total logged-in agents	23

U

ucd-loa	30
UCD-LOA example	11
UCD-MIA example	12
uniform call distribution (UCD)	21 , 27 , 30 , 34

V

VDN level decisions	53 , 54
videos	78
VuStats interactions	70

W

watch list	77
work roles	
allocated	63
backup	63
reserved	63
roving	63
top	63
work time calculation	52
work time interactions	74